

LIST OF EXCEPTIONS TO DATE

March 30, 1950

Section 101.0. The definition of Minimum Habitable Room Size of 70 square feet was changed to conform with the State of Michigan Housing Code and will read:

80 square feet

Section 101.0. Paragraph 1 (Rewritten):

In the interpretation of this code, all words and definitions other than those specifically defined herein or in the basic code shall have their ordinarily accepted meanings as implied by the context or as customarily used in the construction industries.

Section 101.0. Attic (Amended):

An attic having not more than two rooms shall be counted as a 1/2 story.

Section 104.7. Delete words of the applicant and substitute: professional engineer or architect

104.7, page 21. Add the following words:

may waive examination of the plans and field inspection and

Section 105.4. Rewrite the first sentence as follows:

Prefabricated assemblies for which the usual method of stress analysis are not applicable shall be subjected

Rewrite the fifth and sixth lines of 105.4 as follows:

for inspection at the site, a licensed engineer or architect or other person authorized by the building official shall furnish

Section 104.31. This paragraph is an addition to 104, under subject CALLED INSPECTIONS, and reads:

It shall be the duty of the building official to inform the applicant in writing, at the time of application for permit, the stages of construction at which inspections are to be made and the manner in which calls for inspection are to be made.

Not more than four called inspections shall be required.