



81741562

IX CONCRETE
ollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210				SOLD TO:		Project Number:				SHIP TO:	
MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223						PW-7045 4TH STREET ROAD CONSTRUC DETROIT					
DATE	TRUCK	OPERATOR		SLUMP	LOT #	Usage					
05/09/23	2302	LUCAS, KENNETH		4.00							
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD					
6:46 AM	817	93	250210			FULL	3/4	1/2	1/4		
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).				PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.				The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By: GAL X			
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered.				X				NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY: X			
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION		UNIT PRICE	EXTENDED AMOUNT			
154.10 0.00	11.00 1.00	11.00 1.00	yd EA	35600 SC-1015	3500 PSI SLAG #57 LIMEST ENVIRONMENTAL\FUEL SURCHARGE						
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS			
6:46 AM	:	7:24	7:30	7:48	:						
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in.				COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB				SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL			

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X

Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
2302	81741562	11.00 CY	35600	6:49 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19240 lb	-0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15939 lb	15980 lb	0.26%	3.50%M	65 gl
CEM 1	CEMENT TYPE IL	394 lb	4334 lb	4320 lb	-0.32%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1430 lb	-1.52%		
WAT1	CITY WATER	28.4 gl	.0 gl	.0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	-1.04%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	234 gl	234 gl	-0.03%		234 gl

Actual Num Batches: 1
Actual Water: 298.8 gl Wat Cem Contact: 6:48:31

81741565

CONCRETE

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210 MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223				SOLD TO:		Project Number: PW-7045 4TH STREET ROAD CONSTRUC DETROIT				SHIP TO:	
DATE	TRUCK	OPERATOR		SLUMP	LOT #	Usage					
05/09/23	2301	CARRION, SIXTO		4.00							
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD					
7:13 AM	817	93	250210			FULL 3/4 1/2 1/4					
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).				PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.				The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By: GAL X			
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered				NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.				LOAD RECEIVED BY: 			
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION			UNIT PRICE	EXTENDED AMOUNT		
154.10	22.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST						
0.00	2.00	1.00	EA	SC-1015	ENVIRONMENTAL\FUEL SURCHARGE						
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS			
7:13 AM	:	:	7:50	8:01	:						
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in.					COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB				SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL		

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X

Kelsey D. Dzikowski

Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
2301	81741565	11.00 CY	35600	7:15 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19240 lb	-0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15820 lb	-0.26%	3.00%M	55 gl
CEM 1	CEMENT TYPE IL	394 lb	4334 lb	4320 lb	-0.32%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1450 lb	-0.14%		
WAT1	CITY WATER	28.4 gl	0 gl	0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	0.28%		
SUPER	MB 7925	11 oz	116 oz	112 oz	-3.03%		
HWATER	HOT/CHILL WATER	100 %	243 gl	243 gl	-0.12%		243 gl

Actual Num Batches: 1
 Actual Water 298.2 gl Wat Cem Contact: 7:14:51

81741575


SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

CONCRETE

Customer ID: 250210 MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223				SOLD TO: Project Number: PW-7045 4TH STREET ROAD CONSTRUC DETROIT		SHIP TO: 		
DATE	TRUCK	OPERATOR	SLUMP	LOT #	Usage			
05/09/23	4812	MCCARTHY, DANIEL	4.00					
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD		
7:38 AM	817	93	250210			FULL	3/4 1/2 1/4	
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).			PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways.		The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By:			
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered.			The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.		NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.			
X			X		LOAD RECEIVED BY: 			
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION		UNIT PRICE	EXTENDED AMOUNT
154.10	33.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST			
0.00	3.00	1.00	EA	SC-1015	ENVIRONMENTAL\FUEL SURCHARGE			
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS
7:38 AM	:	:	8:14	8:26	:			
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in					COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB		SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL	

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X



Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
4812	81741575	11.00 CY	35600	7:40 AM	5/9/2023


Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19280 lb	0.16%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15840 lb	-0.14%	3.00%M	55 gl
CEM 1	CEMENT TYPE II	394 lb	4334 lb	4340 lb	0.14%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1440 lb	-0.83%		
WAT1	CITY WATER	28.4 gl	0 gl	0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	0.28%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	241 gl	240 gl	-0.22%		240 gl

Actual Num Batches: 1
 Actual Water: 295.3 gl Wat Cem Contact: 7:39:49




81741577

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210			SOLD TO:			Project Number:			SHIP TO:		
MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223						PW-7045 4TH STREET ROAD CONSTRUC DETROIT					
DATE	TRUCK	OPERATOR		SLUMP	LOT #	Usage					
05/09/23	4824	HARRIS, LORENZO		4.00							
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD					
7:54 AM	817	93	250210			FULL	3/4	1/2	1/4		
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).				PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.				The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By: GAL X			
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered.				X				NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY: 			
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION			UNIT PRICE	EXTENDED AMOUNT		
154.10	44.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST						
0.00	4.00	1.00	EA	SC-1015	ENVIRONMENTAL FUEL SURCHARGE						
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS			
7:54 AM	:	:	8:30	8:48	:						
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in.					COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB			SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL			

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X



Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
4824	81741577	11.00 CY	35600	7:56 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19240 lb	-0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15800 lb	-0.39%	3.00%M	55 gl
CEM 1	CEMENT TYPE I/L	394 lb	4334 lb	4320 lb	-0.32%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1440 lb	-0.83%		
WAT1	CITY WATER	28.4 gl	0 gl	0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	0.28%		
SUPER	MB 7925	11 oz	116 oz	112 oz	-3.03%		
HWATER	HOT/CHILL WATER	100 %	241 gl	241 gl	0.19%		241 gl

Actual Num Batches: 1
Actual Water: 296.1 gl Wat Cem Contact: 7:55:50

81741581

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

CONCRETE

Customer ID: 250210 MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223				SOLD TO:		Project Number: PW-7045 4TH STREET ROAD CONSTRUC DETROIT				SHIP TO:	
DATE	TRUCK	OPERATOR		SLUMP	LOT #	Usage					
05/09/23	2316	REGISTER, RANDELL		4.00							
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD					
8:19 AM	817	93	250210			FULL 3/4 1/2 1/4					
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).				PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.				The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By: GAL X			
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered				NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.				LOAD RECEIVED BY: 			
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION			UNIT PRICE	EXTENDED AMOUNT		
154.10	55.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST						
0.00	5.00	1.00	EA	SC-1015	ENVIRONMENTAL\FUEL SURCHARGE						
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS			
8:19 AM	:	:	8:31	9:00	:						
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in.					COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB				SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL		

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS: X

Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
2316	81741581	11.00 CY	35600	8:21 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19240 lb	-0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15820 lb	-0.26%	3.00%M	55 gl
CEM 1	CEMENT TYPE IL	394 lb	4334 lb	4320 lb	-0.32%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1430 lb	< -1.52%		
WAT1	CITY WATER	28.4 gl	0 gl	0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	0.28%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	241 gl	241 gl	0.19%		241 gl

Actual Num Batches: 1
 Actual Water: 296.2 gl Wat Cem Contact: 8:20:22

CONCRETE

81741584

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210 MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223	SOLD TO:	Project Number: PW-7045 4TH STREET ROAD CONSTRUC DETROIT	SHIP TO:
---	----------	--	----------

DATE	TRUCK	OPERATOR	SLUMP	LOT #	Usage
05/09/23	2446	BOYD, SCOTT	4.00		
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #
8:32 AM	817	93	250210		
					WATER ADDED (GAL) / LOAD
					FULL 3/4 1/2 1/4

WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement, Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet). CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered.	PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.	The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By:
GAL X		NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.
X		LOAD RECEIVED BY: 

ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
154.10	66.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST		
0.00	6.00	1.00	EA	SC-1015	ENVIRONMENTAL\FUEL SURCHARGE		

LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS
8:32 AM	8:49	9:13	9:15	9:32	:			
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in.					COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB		SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL	

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X

Kelsey Domikowski

Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
2446	81741584	11.00 CY	35600	8:34 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19240 lb	-0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15800 lb	-0.39%	3.00%M	55 gl
CEM 1	CEMENT TYPE II	394 lb	4334 lb	4330 lb	-0.09%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1440 lb	-0.83%		
WAT1	CITY WATER	28.4 gl	.0 gl	.0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	-1.04%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	241 gl	240 gl	-0.22%		240 gl

Actual Num Batches: 1
 Actual Water: 295.1 gl Wat Cem Contact: 8:33:33



81741585

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210				SOLD TO:		Project Number:				SHIP TO:	
MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223						PW-7045 4TH STREET ROAD CONSTRUC DETROIT					
DATE	TRUCK	OPERATOR	SLUMP	LOT #	Usage						
05/09/23	2306	BURCHAM, STEWART	4.00								
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD					
8:53 AM	817	93	250210			☒ FULL	3/4	1/2	1/4		
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).				PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.				The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By: GAL X			
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered				X				NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY: X A/D			
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION			UNIT PRICE	EXTENDED AMOUNT		
154.10	77.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST						
0.00	7.00	1.00	EA	SC-1015	ENVIRONMENTAL\FUEL SURCHARGE						
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS			
8:53 AM	:	9:15	9:35	9:50	:						
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in.					COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB				SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL		

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X

Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
2306	81741585	11.00 CY	35600	8:55 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19240 lb	-0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15840 lb	-0.14%	3.00%M	55 gl
CEM 1	CEMENT TYPE II	394 lb	4334 lb	4330 lb	-0.09%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1440 lb	-0.83%		
WAT1	CITY WATER	28.4 gl	.0 gl	.0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	0.28%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	246 gl	246 gl	-0.02%		246 gl


Num Batches: 1

Actual Water: 301.3 gl Wat Cem Contact: 8:54:19




81741588

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210				SOLD TO:		Project Number:				SHIP TO:	
MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223						PW-7045 4TH STREET ROAD CONSTRUC DETROIT					
DATE	TRUCK	OPERATOR		SLUMP	LOT #	Usage					
05/09/23	2302	LUCAS, KENNETH		4.00							
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD					
9:12 AM	817	93	250210			FULL	3/4	1/2	1/4		
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement, Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).				PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.				The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By: GAL X			
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered.				X				NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY: X 			
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION		UNIT PRICE	EXTENDED AMOUNT			
154.10 0.00	88.00 8.00	11.00 1.00	yd EA	35600 SC-1015	3500 PSI SLAG #57 LIMEST ENVIRONMENTAL\FUEL SURCHARGE						
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS			
9:12 AM	:	:	9:52	10:12	:						
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned Loads less than six cubic yards will be charged for short load Customer must supply wheelbarrow or designated area to wash down in				COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB				SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL			

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X



Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
2302	81741588	11.00 CY	35600	9:14 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19240 lb	-0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15860 lb	-0.01%	3.00%M	55 gl
CEM 1	CEMENT TYPE IL	394 lb	4334 lb	4330 lb	-0.09%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1470 lb	> 1.24%		
WAT1	CITY WATER	28.4 gl	.0 gl	.0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	0.28%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	243 gl	243 gl	-0.12%		243 gl

Actual
Actual Water 298.4 gl
Num Batches: 1
Wat Cem Contact: 9 13.43




81741596

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210				SOLD TO:		Project Number:				SHIP TO:	
MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223						PW-7045 4TH STREET ROAD CONSTRUCT DETROIT					
DATE	TRUCK	OPERATOR		SLUMP	LOT #	Usage					
05/09/23	2317	PENN, STANFORD		4.00							
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD					
9:40 AM	817	93	250210			FULL	3/4	1/2	1/4		
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).				PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.				The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By: GAL X			
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST BE TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered.				NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY: 							
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION		UNIT PRICE	EXTENDED AMOUNT			
154.10	99.00	11.00	yd	35600	3500 PSI SLAG #57 LIME						
0.00	9.00	1.00	EA	SC-1015	ENVIRONMENTAL\FUEL SURCHARGE						
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS			
9:40 AM	:	:	10:15	10:30	:						
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in.				COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB				SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL			

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X



Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
2317	81741596	11.00 CY	35600	9:43 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19240 lb	-0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15800 lb	-0.39%	3.00%M	55 gl
CEM 1	CEMENT TYPE IL	394 lb	4334 lb	4330 lb	-0.09%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1450 lb	-0.14%		
WAT1	CITY WATER	28.4 gl	.0 gl	.0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	-1.04%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	243 gl	243 gl	-0.12%		243 gl

Actual
Actual Water: 298.1 gl
Num Batches: 1
Wat Cem Contact: 9.42:17




81741599

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210				SOLD TO:		Project Number:				SHIP TO:	
MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223						PW-7045 4TH STREET ROAD CONSTRUC DETROIT					
DATE	TRUCK	OPERATOR		SLUMP	LOT #	Usage					
05/09/23	2316	REGISTER, RANDELL		4.00							
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD					
9:51 AM	817	93	250210			FULL	3/4	1/2	1/4		
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).				PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.				The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By: GAL X			
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered.				X				NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY: 			
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION		UNIT PRICE	EXTENDED AMOUNT			
154.10	110.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST						
0.00	10.00	1.00	EA	SC-1015	ENVIRONMENTAL\FUEL SURCHARGE						
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS			
9:51 AM	:	:	10:30	10:40	:						
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in.				COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB				SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL			

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X



Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
2316	81741599	11.00 CY	35600	9:53 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19300 lb	0.26%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15820 lb	-0.26%	3.00%M	55 gl
CEM 1	CEMENT TYPE IL	394 lb	4334 lb	4340 lb	0.14%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1480 lb	1.93%		
WAT1	CITY WATER	28.4 gl	.0 gl	.0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	0.28%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	243 gl	243 gl	-0.12%		243 gl

Actual
Actual Water: 298.2 gl Num Batches: 1
Wat Cem Contact: 9:52:37

81741602


SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

CONCRETE

Customer ID: 250210 MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223				SOLD TO: Project Number: PW-7045 4TH STREET ROAD CONSTRUC DETROIT		SHIP TO: 	
DATE	TRUCK	OPERATOR	SLUMP	LOT #	Usage		
05/09/23	4831	LEE, TAMIKO	4.00				
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD	
10:11 AM	817	93	250210			FULL	3/4 1/2 1/4
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).			PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway. damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.		The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By:		
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered.			NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.		LOAD RECEIVED BY:		
X _____			X _____				
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
154.10	121.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST		
0.00	11.00	1.00	EA	SC-1015	ENVIRONMENTAL\FUEL SURCHARGE		
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR
10:11 AM	:	:	10:54	11:14	:		
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in.					COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB		
					SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL		

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X



Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
4831	81741602	11.00 CY	35600	10:13 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19260 lb	0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15880 lb	0.11%	3.00%M	55 gl
CEM 1	CEMENT TYPE II	394 lb	4334 lb	4330 lb	-0.09%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1450 lb	-0.14%		
WAT1	CITY WATER	28.4 gl	.0 gl	.0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	0.28%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	243 gl	243 gl	-0.12%		243 gl

Actual Num Batches: 1
 Actual Water: 298.4 gl Wat Cem Contact: 10:12:56



81741607

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210

SOLD TO:

Project Number:

SHIP TO:

MAJOR CONTRACTING GROUP
PO BOX 23740
DETROIT, MI 48223

PW-7045 4TH STREET ROAD CONSTRUC
DETROIT

DATE	TRUCK	OPERATOR	SLUMP	LOT #	Usage
05/09/23	4808	MORRISON, CHARLES	4.00		
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #
10:34 AM	817	93	250210		
WATER ADDED (GAL) / LOAD					
FULL 3/4 1/2 1/4					

**WARNING
IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed.

All accounts not paid when due will bear interest at the rate of 18% per annum.

Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered.

**PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)**

It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways.

The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.

The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.

X

The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By:

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
154.10	132.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST		
0.00	12.00	1.00	EA	SC-1015	ENVIRONMENTAL FUEL SURCHARGE		

LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS
10:34 AM	:	:	10:16	11:28	:			

Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer.

No credit allowed for concrete returned.

Loads less than six cubic yards will be charged for short load.

Customer must supply wheelbarrow or designated area to wash down in.

COMMENTS / REMARKS

3730 4TH ST, USE 3 RD AVE E OF THE
LODGE N OFF MARTIN LUTHER KING, GO N
TO SELDEN W TO 4TH ST STO JOB

SUBTOTAL**SALES TAX****TICKET TOTAL****GRAND TOTAL**

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X

Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
4808	81741607	11.00 CY	35600	10:36 AM	5/9/2023


Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19300 lb	0.26%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15820 lb	-0.26%	3.00%M	55 gl
CEM 1	CEMENT TYPE IL	394 lb	4334 lb	4330 lb	-0.09%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1450 lb	-0.14%		
WAT1	CITY WATER	28.4 gl	.0 gl	.0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	0.28%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	246 gl	246 gl	-0.02%		246 gl

Actual Num Batches: 1
Actual Water: 301.2 gl Wat Cem Contact: 10:35:14




81741611

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210				SOLD TO:		Project Number:				SHIP TO:	
MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223						PW-7045 4TH STREET ROAD CONSTRUC DETROIT					
DATE	TRUCK	OPERATOR		SLUMP	LOT #	Usage					
05/09/23	2302	LUCAS, KENNETH		4.00							
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD					
10:51 AM	817	93	250210			FULL	3/4	1/2	1/4		
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).				PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.				The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By: GAL X			
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered				X				NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY: 			
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION		UNIT PRICE	EXTENDED AMOUNT			
154.10	143.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST						
0.00	13.00	1.00	EA	SC-1015	ENVIRONMENTAL\FUEL SURCHARGE						
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS			
10:51 AM	:	:	11:30	11:46	:						
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in.				COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB				SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL			

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X



Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
2302	81741611	11.00 CY	35600	10:53 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19260 lb	0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15800 lb	-0.39%	3.00%M	55 gl
CEM 1	CEMENT TYPE IL	394 lb	4334 lb	4360 lb	0.60%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1450 lb	-0.14%		
WAT1	CITY WATER	28.4 gl	.0 gl	.0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	40 oz	5.55%		
SUPER	MB 7925	11 oz	116 oz	112 oz	-3.03%		
HWATER	HOT/CHILL WATER	100 %	246 gl	246 gl	-0.02%		246 gl

Actual Num Batches: 1
Actual Water: 301.1 gl Wat Cem Contact: 10:53:03



81741614

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210	SOLD TO:	Project Number:	SHIP TO:
MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223		PW-7045 4TH STREET ROAD CONSTRUC DETROIT	

DATE	TRUCK	OPERATOR	SLUMP	LOT #	Usage
05/09/23	2439	ELLIS JR, ROBERT	4.00		
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #
11:07 AM	817	93	250210		
					WATER ADDED (GAL) / LOAD
					FULL 3/4 1/2 1/4

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS

The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed.

All accounts not paid when due will bear interest at the rate of 18% per annum.

Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality. Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways.

The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.

X

The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By:

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION	UNIT PRICE	EXTENDED AMOUNT
154.10	154.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST		
0.00	14.00	1.00	EA	SC-1015	ENVIRONMENTAL\FUEL SURCHARGE		

LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS
11:07 AM	:	:	11:50	12:09	:			

Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer.

No credit allowed for concrete returned

Loads less than six cubic yards will be charged for short load.

Customer must supply wheelbarrow or designated area to wash down in

COMMENTS / REMARKS

3730 4TH ST, USE 3 RD AVE E OF THE
LODGE N OFF MARTIN LUTHER KING, GO N
TO SELDEN W TO 4TH ST STO JOB

SUBTOTAL

SALES TAX

TICKET TOTAL

GRAND TOTAL

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X

Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
2439	81741614	11.00 CY	35600	11:09 AM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19240 lb	-0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15800 lb	-0.39%	3.00%M	55 gl
CEM 1	CEMENT TYPE II	394 lb	4334 lb	4320 lb	-0.32%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1460 lb	0.55%		
WAT1	CITY WATER	28.4 gl	.0 gl	.0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	38 oz	38 oz	-1.04%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	246 gl	246 gl	-0.02%		246 gl

Actual
ctual Water: 301.1 gl Num Batches: 1
Wat Cem Contact: 11:08:58




81741623

SMYRNA READY MIX CONCRETE
1000 Hollingshead Circle
Murfreesboro, Tennessee 37129
www.smyrnareadymix.com

Customer ID: 250210		SOLD TO:		Project Number:		SHIP TO:		
MAJOR CONTRACTING GROUP PO BOX 23740 DETROIT, MI 48223				PW-7045 4TH STREET ROAD CONSTRUCT DETROIT				
DATE	TRUCK	OPERATOR		SLUMP	LOT #	Usage		
05/09/23	2442	FARLEY, GREG		4.00				
TIME	PLANT	ORDER #	ACCOUNT #	PO #	JOB #	WATER ADDED (GAL) / LOAD		
12:12 PM	817	93	250210			FULL	3/4 1/2 1/4	
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with Eyes and Prolonged Contact with Skin. In case of Contact with Skin or Eyes. Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. Call Dispatch for SDS (Safety Data Sheet).		PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) It is the policy of Smyrna Ready Mix Concrete to Guarantee Delivery to the curb only. We will not be held responsible for towing bills for stuck trucks not on public roadway, damage to driveways, sidewalks, buildings, parking lots, trees, or property after leaving the curb. Furthermore, the undersigned agrees to pay for any towing charges incurred after our trucks leave public roadways. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability. The undersigned acting as owner or agent for the owner understands this agreement and release Smyrna Ready Mix Concrete from any liability.		The seller will not assume any responsibility for the strength of concrete if water is added to the concrete on the job by purchaser. Authorized to Add Water By: GAL X				
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES or CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys fees incurred in collection of any sums owed. All accounts not paid when due will bear interest at the rate of 18% per annum. Our Concrete is guaranteed for strength only per ASTM C-94 and will not be effective unless ASTM C-172, C-31, C-39, and E-329 are followed properly. Not responsible for Color Quality, Finishing, Placement, Protection/Curing, Jointing, or any other factors beyond Suppliers control. No Claim Allowed Unless Made at Time Material is Delivered.		X		NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING, PROPERTY DAMAGE RELEASE AND WATER ADDED. SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY:  X				
ORDERED QUANTITY	CUMULATIVE QUANTITY	QUANTITY	U.O.M.	PRODUCT CODE	PRODUCT DESCRIPTION		UNIT PRICE	EXTENDED AMOUNT
165.10	165.00	11.00	yd	35600	3500 PSI SLAG #57 LIMEST			
0.00	15.00	1.00	EA	SC-1015	ENVIRONMENTAL\FUEL SURCHARGE			
					2.0 Dds Waste			
LOAD	LEFT PLANT	ARRIVED JOB	START UNLOAD	FINISH UNLOAD	LEAVE JOB	FINAL SLUMP	TESTED AIR	REVOLUTIONS
12:12 PM	:	:	12:49	1:05	:			
Six minutes per yard unloading time is allowed. Demurrage time will be charged to customer. No credit allowed for concrete returned. Loads less than six cubic yards will be charged for short load. Customer must supply wheelbarrow or designated area to wash down in.				COMMENTS / REMARKS 3730 4TH ST, USE 3 RD AVE E OF THE LODGE N OFF MARTIN LUTHER KING, GO N TO SELDEN W TO 4TH ST STO JOB			SUBTOTAL SALES TAX TICKET TOTAL GRAND TOTAL	

I CERTIFY MATERIALS MEET MDOT SPECIFICATIONS:

X




Plant 817

Truck	Disp Ticket Num	Load Size	Mix Code	Time	Date
2442	81741623	11.00 CY	35600	12:14 PM	5/9/2023

Material	Description	Design Qty	Required	Batched	% Var	% Moisture	Actual Wat
L6AA-PIN	6AA - PORT INLAND	1750 lb	19250 lb	19240 lb	-0.05%		
2NS-SMR	2NS SPRING MILL RECL	1400 lb	15862 lb	15800 lb	-0.39%	3.00%M	55 gl
CEM 1	CEMENT TYPE IL	394 lb	4334 lb	4320 lb	-0.32%		
CMGS-LA	SLAG CEMENT	132 lb	1452 lb	1460 lb	0.55%		
WAT1	CITY WATER	28.4 gl	0 gl	0 gl			
AIR	MB AE 200 MASTERAIR	5 oz	41 oz	41 oz	-0.76%		
SUPER	MB 7925	11 oz	116 oz	116 oz	0.43%		
HWATER	HOT/CHILL WATER	100 %	246 gl	246 gl	-0.02%		246 gl

Actual
Actual Water: 301.1 gl
Num Batches: 1
Wat Cem Contact: 12:13:33



Concrete Testing Report					
Contractor/Subcontractor: <u>Meyer</u>		MDOT Job #: <u>NLA</u>		SSI Job #: <u>22816</u>	
Foreman: <u>Joe</u>		Inspector Name: <u>4172</u>			
Weather: <u>CL</u>		Tester Name: <u>6-11-1</u>			
Lot No: <u>112-34-1</u>		Certification #: <u>6-11-1</u>			
Description of Pour: <u>1-1-1</u>		Date: <u>6-11-1</u>			
Location/Station of Pour: <u>4th Street</u>		Scheduled Pour Time: <u>7:00 am</u>			
MDOT Spec. (Yr): <u>7-1</u>		Mix Design Number: <u>11-41</u>		Method of Placement: <u>Chute</u>	
Conc. Grade: <u>11</u>	Agg. Correction: <u>0.2</u>	Design Strength: <u>2500</u>	Air: <u>5.5</u> % to <u>8.5</u> %	Slump: <u>0</u> inch to <u>6</u> inch	

Truck #	Time	Air Temp (F)	Concrete Temp (F)	Air Content (%)	Slump (in.)	Cylinder Set	Cumulative Yardage
222	7:30	45	64	6.0	4.25	1	11
222	8:40	71	62	5.1	4.00	-	55
222	1:15	58	65	6.0	4.50	-	89
4521	12:55	62	71	5.5	3.00	2	121
222	12:21	62	72	5.8	3.00	3	154
222	12:21	65	74	5.5	3.00	-	165

Compressive/Flexural Strength Test Results									
Cylinder/Beam ID	Set No.	Age (Days)	Break Date	Diameter (inch)	Cross Sectional Area (in ²)	Maximum Load (Pounds)	Strength (PSI)	Break Type	Broken By
2A	1	28	6-6	4	12.57				
2B	1	28	6-6		12.57				
EX 2C	1								
2D	1								
EX 2E	1								
2F	2	28	6-6						
2G	2	28	6-6						
EX 2H	2								
EX 2I	2								
EX 2J	2								
Beam 1	3								
2	3								
3	3								

Correlation Results: Tester C. J. 1 Delivery Ticket # 81741512 Air % 51 Slump 4.35 Air Temp 40 Concrete Temp 67

$$y = 11 - 27.2t + t^2$$

Cylinder Break Report (Explain any Anomalies):

Cylinder Break Report (Explain any Anomalies):

Volume of Concrete Poured: 165 yds

Conc. Source and City: SP-11 Detroit

This concrete report has been independently reviewed and verified by:

[illegible]

Correlation Results: Tester NA Delivery Ticket # Air % Slump Air Temp Concrete Temp

Cylinder Break Report (Explain any Anomalies):

Volume of Concrete Poured:

Conc. Source and City:

This concrete report has been independently reviewed and verified by:



Somat Engineering, Inc.

LAP 12SP-604A-09

REPORT NUMBER: _____ SHEET: _____ OF _____

26445 Northline Rd, Taylor, MI 48180
Tel: 734-946-4966 Fax: 734-946-1147

CONCRETE QA CORRELATION

DATE: 5/9/2023

MDOT CONTROL SECTION: N/A

MDOT JOB NUMBER: N/A

SOMAT JOB NUMBER: 2022078G

PROJECT NAME: PW 7045 - WIGLE Phase II

CITY: Detroit

CLIENT: Hubbel Roth & Clark

PROJECT ENGINEER: Richard Anderson

INSPECTOR: Marc Ledent

CONTRACTOR: Major cement

QC COMPANY: ssi

QC TESTER: terry

CONCRETE INFORMATION

CONCRETE COMPANY: srm

TRUCK NUMBER: 2302

MIX DESIGN #: 35600

PLANT LOCATION (CITY): plant 817

CONCRETE GRADE: 3500

TOTAL QUANTITY (CYDS): 165

PWL/NON-PWL: non

QUANTITY AT SAMPLE (CYDS): 154

POUR LOCATION (STATION, STRUCTURE, ETC...)

right lane on 4th st

TEST RESULTS

	QC (CONTRACTOR)	QA (SOMAT)	TOLERANCE	MEETS TOLERANCE (Y/N)
SAMPLE TIME (Hrs/Min):	0730am			
AIR CONTENT (%):	6.00	5.80	+/- 0.8 PERCENT	yes
CONCRETE TEMP. (°F):	64	63	+/- 2.0 DEGREES	yes
AIR TEMP. (°F):	49	49		

REMARKS:

FIELD REPRESENTATIVE: SaulHernandez

DATE: 5/9/2023

PROJECT MANAGER(s): Steven Drummond, P.E.

DATE:

*All results noted in this report relate only to items inspected or tested by Somat Engineering, Inc. and/or Somat Engineering of Ohio, Inc. (Somat). This report shall not be reproduced, except in full, without the prior written approval of Somat.



CONCRETE TESTING

DATE: 5/9/2023

JOB NUMBER: 2022078G

PROJECT NAME: PW 7045 - WIGLE Phase II

LOCATION: 4th st detroit

ROUTE NO. or STREET: _____

CLIENT: Hubbel Roth & Clark Inc.

CONSULTANT ENGINEER: Richard Anderson

INSPECTOR: Marc Ledent

CONTRACTOR: Major Cement

WEATHER: Sunny

CONCRETE INFORMATION					
CONCRETE SUPPLIER:	SRM	SAMPLE METHOD:		chute	
SUPPLIER MIX ID:	35600	PLANT LOCATION (CITY):		plant 817	
GRADE OF CONCRETE:	3500	QUANTITY ORDERED (CYDS):		154	
AIR ENTRAINMENT:		QUANTITY PLACED (CYDS):		165	
ADD MIXTURE (OTHER):		REJECTED:			
LOCATION(s) AND ITEM(s):					
TEST RESULTS					
LOT - SUBLOT:	1	2			
TIME (Hrs/Min):	0940am	1000am			
TRUCK (#):	2306	2302			
SLUMP (INCH):	5.50 INCH	4.50 INCH			
AIR CONTENT (%):	5.5 %	5.8 %			
CONCRETE TEMP. (°F):	69 °F	65 °F			
AIR TEMP. (°F):	55 °F	61 °F			
WATER ADDED (GAL.):					
CYLINDER SET:	1	2			
28 DAY STRENGTH (PSI):					
REMARKS:					
FIELD REPRESENTATIVE:	Saul Hernandez		DATE:	5/9/2023	
PROJECT MANAGER(s):	Steven Drummond, P.E.		DATE:		

*All results noted in this report relate only to items inspected or tested by Somat Engineering, Inc. and/or Somat Engineering of Ohio, Inc. (Somat). This report shall not be reproduced, except in full, without the prior written approval of Somat.

INSPECTOR'S REPORT OF CONCRETE PLACED - Roadway

DISTRIBUTION: ORIGINAL – Construction Project Engineer Files COPY - CFS

CONTRACTOR Major Contracting		GENERAL NAME OF PROJECT Midtown, West Wlgle 4th Street Construction Phase II	
SUBCONTRACTOR		CONTROL SECTION ID – JOB NUMBER PW 7029	
CONCRETE SUPPLIER SRM Concrete		ROUTE 4th St.	
MAXIMUM TIME		STRUCTURE NUMBER	
WEATHER 49 A.M. 70 P.M.		REPORT NUMBER	DATE 5-09-23

MAX. WATER ADDED PER CYD GALLONS	REASON:	
BEAMS/CYLINDERS MADE (Sta, Time, #, etc.) 2 cylinders		CURING COMPND. USED GALLONS

Intended Air 5.5% to 8.5%		TEMPERATURES – AIR – SLUMP				Intended Slump 5" to 8"					
TIME	ATMOSPHERE	CONCRETE	*AIR CONTENT %	SLUMP	CYLINDERS/ BEAMS	TIME	ATMOSPHERE	CONCRETE	*AIR CONTENTS %	SLUMP	CYLINDERS/ BEAMS
7:30 a.m	49	64	6.0	4.25"	5	7:30 a.m	49	63	5.8	5.5"	2

LOT #	LOT SIZE	SUBLOT #	SUBLOT SIZE	RANDOM #	QA Cylinder ID		Discrepancy Cylinder	
		1		77yds	1			
		2		88yds	2			

COMMENTS

ITEM OR CODE NO.	STA. TO STA.	GRADE OF CONC.	LENGTH	WIDTH	DEPTH	MEASURED SQ. OR CU. YARDS	CYDS. PLAN	CYDS. USED	CYDS. WASTE	OVER UNDER %
		P1-DET								

REMARKS OR COMPUTATIONS
(Use back if necessary)

MIX OR STREET TECHNICIAN

DATE

This image shows a full page of blank graph paper. The background is a solid light blue color. Overlaid on this background is a precise grid of thin, dark gray lines. The grid consists of small, equal-sized squares that cover the entire area of the page, leaving no margins or other markings.[illegible]

Clear Form