



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

2 -
3 - Pink

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 GRAND R				TICKET CODE: 81700243 DATE: 11/25/20	
DRIVER INSTRUCTION: PURITAN AND GRAND RIVER E OF EVERGREEN							MAP PAGE: 01A1	TIME: 11:46	
PO. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	24	CHAPP, JOE	2442	36.00	35.00	5.00 in	6.00	1	
ITEM NAME		QUANTITY	UOM	DESCRIPTION			UNIT PRICE	EXTENDED	
P1-DETM 1015 1030		2.00 1.00 2.00	yd EA PY	CITY OF DETROIT P1 MR ENVIRONMENTAL SURCHARGE WINTER CHARGE					
MDOT 1155 STATEMENT: I hereby certify this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GBFS: FLY ASH:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.	COLLECTED (circle one) CHECK CASH CREDIT			
COARSE AGG: INTERM AGG: FINE AGG:	L6AA-PIN	6AA - PORT INLAND	75A005	M-11					
	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003						
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
1156	22.5	152				X			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	CUSTOMER SIGNATURE			
1156	11:56	11:56							
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete. UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck 2442 Driver 8428 User user1 Disp Ticket Num 81700243 Ticket ID 81700243 Time 11:46 Date 11/25/20
Load Size 2.00 CY Mix Code P1-DETM Returned Qty Mix Age Seq W2 Load ID 329627

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1810 lb	3620 lb	3620 lb	0.00%			
2NS-SMR	1230 lb	2585 lb	2540 lb	-0.96%	4.25% M		12 gl
CMT1-LAA	564 lb	1128 lb	1130 lb	0.18%			
WAT1	30.5 gl	.0 gl	.0 gl				
OMRLI-PR	40 oz	79 oz	72 oz	-8.86%			
QAE-PR	5.80 oz	23.52 oz	24.00 oz	2.04%			
HWATER	60 %	#	gl				

Actual Load 7296 lb Slump: 5.00 in Num Batches: 1 Design W/C: 0.451 Water/Cement: 0.451 T Design 61.0 gl Actual 12.4 gl To Add: 48.6 gl Water in Truck: 0.0 gl Adjust Water: -55.0 gl / Load Trim Water: -2.0 gl / CY



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 GRAND R			TICKET CODE: 81700234 DATE: 11/25/20	
DRIVER INSTRUCTION: PURITAN AND GRAND RIVER E OF EVERGREEN							MAP PAGE: 01A1	TIME: 9:11
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:
	24	KIDD, JAMAIN	2438	77.00	22.00	5.00 in	6.00	1
ITEM NAME		QUANTITY	UOM	DESCRIPTION			UNIT PRICE	EXTENDED
P1-DETH		11.00	yd	CITY OF DETROIT P1 MR				
1015		1.00	EA	ENVIRONMENTAL SURCHARGE				
1030		11.00	PY	WINTER CHARGE				
MDOT 1143 STATEMENT I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.								
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.			
GGGFS:				M-11				
FLY ASH:				COMPANY REPRESENTATIVE (signature)				
COARSE AGG	L6AA-PIN	6AA - PORT INLAND	75-005	X <i>Kelany J. Smith</i> COLLECTED (circle one)				
INTERM AGG								
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003	CHECK CASH CREDIT				
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.		
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X		
						CUSTOMER SIGNATURE		
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete. UNLOAD PROMPTLY: Excess time will be charged to the buyer.								

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2438	8439	user1	81700234	81700234	9:11	11/25/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	P1-DETM				W2	329618

Material	Design Qty	Required	Batched	% Var%	Moisture	Actual	Wat
L6AA-PIN	1810 lb	19910 lb	19900 lb	-0.05%			
2NS-SMR	1230 lb	14173 lb	14140 lb	-0.23%	4.75% M	77 gl	
CMT1-LAA	564 lb	6204 lb	6180 lb	-0.38%			
WAT1	30.5 gl	95.7 gl	95.0 gl	-0.73%		95.0 gl	
OMRLI-PR	40 oz	435 oz	436 oz	0.35%			
OAE-PR	5.60 oz	123.20 oz	122.00 oz	-0.97%			
HWATER	60 % #	144 gl	143 gl	-0.38%		143 gl	

Actual	Num Batches: 1						
Load	42241 lb	Design W/C: 0.451	Water/Cement: 0.453 T	Design	335.5 gl	Actual	314.8 gl To Add: 20.7 gl
Slump:	5.00 in	Water In Truck:	0.0 gl Adjust Water:	0.0 gl / Load	Trim Water:	-1.8 gl / CY	



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

~ (A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 GRAND R				11/25/20	
DRIVER INSTRUCTION: PURITAN AND GRAND RIVER E OF EVERGREEN							MAP PAGE: 01A1	TIME: 10:27	
PO. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	24	TAHIKO LEE	4818	44.01	33.00	4.00 in	6.00	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P1-DETH 1015 1030		11.00 1.00 11.00	yd EA PY	CITY OF DETROIT P1 MR ENVIRONMENTAL SURCHARGE WINTER CHARGE					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.				
GGBS:				M-11					
FLY ASH:				COMPANY REPRESENTATIVE (signature)					
COARSE AGG	L6AA-PIN	6AA - PORT INLAND	75-005	 COLLECTED (circle one) CHECK CASH CREDIT					
INTERM AGG									
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003						
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X			
						CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete. UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time Date
4818	TALEE	user1	81700240	81700240	10:27 11/25/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq Load ID
11.00 CY	P1-DETM			W2	329624

Material	Design Qty	Required	Batched	% Var	Moisture	Actual	Wat
L6AA-PIN	1810 lb	19910 lb	19920 lb	0.05%			
2NS-SMR	1230 lb	14105 lb	14060 lb	-0.32%	4.25% M	69 gl	
CMT1-LAA	564 lb	6204 lb	6230 lb	0.42%			
WAT1	30.5 gl	97.8 gl	98.0 gl	0.17%		98.0 gl	
OMRLI-PR	40 oz	435 oz	432 oz	-0.58%			
OAE-PR	5.80 oz	129.36 oz	129.00 oz	-0.28%			
HWATER	60 % #	147 gl	147 gl	0.17%		147 gl	

Actual	Num Batches: 1						
Load	42260 lb	Design W/C: 0.451	Water/Cement: 0.449	T	Design	335.5 gl	Actual 313.7 gl To Add: 21.8 gl
Slump:	4.00 in	#	Water in Truck: 0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-2.0 gl / CY

A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES



SRM Concrete
1441 SpringWells Ct. Detroit, MI 48209
PHONE: (734) 357-2124

1 - White (Office)
2 - Yellow (Customer)
3 - Pink (Misc.)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING DETROIT, MI 48223,				SHIP TO: 19850 GRAND RIVER AVE DETROIT,				TICKET CODE: 82005482 DATE: 06/23/2021	
DRIVER INSTRUCTION: NORTHSIDE OF GRAND RIVER - EAST OF EVERGREEN							MAP PAGE: TIME: 12:57:44		
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	N 108	GORDON, DELANC	2440	11.10	11.00	5.00	6.5	820	
ITEM NAME:	QUANTITY:	UOM:	CITY OF DETROIT P1 MR	DESCRIPTION:	UNIT PRICE:	EXPANDED:			
P1-BETM 1015	11.00 1.00			ENVIRONMENTAL SU	0.00	0.00			
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
Rock Sand	L6AA-PIN 2NS-SMR	PORT INLAND - 6AA SPRING MILL - 2NS	75-005 47-003	MDOT PLANT NO. M-40	GRADE OF CONC.				
Cementitious	CMT1-LAA	LAFARGE-I-II LA-APLENA	ALPENA	COMPANY REPRESENTATIVE (signature) <i>Joseph Yeh</i>		COLLECTED (circle one) CHECK CASH CREDIT			
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	CUSTOMER SIGNATURE X			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

MATERIAL	DESIGN	TARGET	BATCHED	% VAR	MOISTURE	FREE WATER
PORT INLAND - 6AA	1810.00 lb	19900.00 lb	20000.00 lb	0.5	0.00	52.9 gal
SPRING MILL - 2NS	1240.00 lb	14080.00 lb	14020.00 lb	-0.4	3.25	
LAFARGE-I-II LA-APLENA	564.00 lb	6205.00 lb	6205.00 lb	0.0	0.00	
WAT1	30.50 gal	260.26 gal	262.42 gal	0.8	0.00	
BASF - MICRO AIR 200	1.39 oz	86.00 oz	86.00 oz	0.0	0.00	
PCA-OPTIFLO MR	39.50 oz	432.00 oz	432.00 oz	0.0	0.00	

End of Load Time 12:59 PM

Trim Water:

Water to Add:

A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES



SRM Concrete
1441 SpringWells Ct. Detroit, MI 48209
PHONE: (734) 357-2124

1 - White (Office)
2 - Yellow (Customer)
3 - Pink (Misc.)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING DETROIT, MI 48223,				SHIP TO: 19850 GRAND RIVER AVE DETROIT,				TICKET CODE: 82005487 DATE: 06/23/2021	
DRIVER INSTRUCTION: NORTHSIDE OF GRAND RIVER - EAST OF EVERGREEN								MAP PAGE:	TIME: 14:14:07
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	CITY ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	N 108	ROCHA JR, DAVID	3714	22.10	22.00	5.00	6.5	820	
ITEM NAME: P1-DETM 1015		QUANTITY: 11.00 1.00	UOM:	CITY OF DETROIT P1 MR ENVIRONMENTAL SU			UNIT PRICE: 0.00 0	EXTENDED: 0.00 0	
MDOT 1150 STATEMENT: I hereby certify this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
Rock	L6AA-PIN	PORT INLAND - 6AA	75-005	MDOT PLANT NO.	GRADE OF CONC.				
Sand	2NS-SMR	SPRING MILL - 2NS	47-003	M-40	0				
Cementitious	CMT1-LAA	LAFARGE-I-II LA-APLENA	ALPENA	COMPANY REPRESENTATIVE (signature) <i>[Signature]</i>				COLLECTED (circle one) CHECK CASH CREDIT	
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X			
						CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

MATERIAL	DESIGN	TARGET	BATCHED	% VAR	MOISTURE	FREE WATER
PORT INLAND - 6AA	1810.00 lb	19900.00 lb	19960.00 lb	0.3	0.00	53.0 gal
SPRING MILL - 2NS	1240.00 lb	14080.00 lb	14060.00 lb	-0.1	3.25	
LAFARGE-I-II LA-APLENA	564.00 lb	6205.00 lb	6205.00 lb	0.0	0.00	
WAT1	30.50 gal	265.78 gal	266.97 gal	0.5	0.00	
BASF - MICRO AIR 200	1.39 oz	86.00 oz	86.00 oz	0.0	0.00	
PCA-OPITFLO MR	39.50 oz	432.00 oz	432.00 oz	0.0	0.00	

End of Load Time 2:15 PM
Trim Water:
Water to Add:

Job Location	Detroit		Date	6/23/2021	
Contractor	MAJOR		Time Batched	14:13	
This certifies that the concrete carried by this transit mix truck is composed of the following materials and in the amounts shown below:					
Coarse Aggregate	Port Inland		Truck No.	714	YDS 11
Sand	Springmill		Gradation	6AA	Lbs 1810
Cement	Lafarge		Gradation	2NS	Lbs 1240
			Type	1	Lbs 564
Air Entraining Agent	Micro Air				Ozs. 5.64
Other Concrete Admixture	Premiere Optiflo MR				Ozs. 39.48
Other Concrete Admixture					Ozs.
Transit Mix Concrete Producer	McCoig Concrete			Water - Gals	30.5
Yard	1441 Springwells Ct, Detroit	Authorized Agent (Signature)			

(Producer Not To Sign Below)

(2.77) (REV. 08/07)

Additional Remarks Stated on The Back of This Certificate

Water Added at the

Time Truck Discharged

City Inspector (Signature)

Actual Load	42690 lb	Design W/C: 0.451	Water/Cement: 0.452	T	Design	335.5 gl	Actual	319.0 gl	To Add:	16.5 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-1.5 gl / CY			
Actual W/C Ratio:	0.430	Actual Water:	319 gl	Batched Cement:	6190 lb	Allowable Water:	131 lb	Wat Cem Contact:	15:06:00	

City Of Detroit

TRANSIT MIX CONCRETE PRODUCER'S CERTIFICATE

City Engineering Dept.

Job Location	CITY OF DETROIT		Date	6/23/2021	
Contractor	MAJOR		Time Batched	15:09	
This certifies that the concrete carried by this transit mix truck is composed of the following materials and in the amounts shown below:			TRUCK # :	438	YARDS
Coarse Agg.	6AA port inland	Gradation	6aa	Lbs	1780
Sand	SMR 2NS			Lbs	1280
Cement	Lafarge Type 1	Type	1 & 2	Lbs	564
Air Entraining Agent	BASF-MICRO-AIR	Micro Air		Ozs.	5.64
Other Concrete Admixture	NON-CHLORIDE ACCELERATOR			Ozs.	0
Transit Mix Concrete Producer	McCoig Concrete	Water - Gals			30.5
Yard	MID-RANGE		28.4	slag	
	Authorized Agent (Signature)	john gottschalk			
(Producer Not To Sign Below)			(2.77)	(REV. 08/07)	

Additional Remarks Stated on The Back of This Certificate

 Water Added at the
 Jobsite, If Any -
 Gallons

City Inspector (Signature)

 Time Truck
 Discharged



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING	SHIP TO: 33 19850 GRAND RIVER AVE DETROIT	TICKET CODE: 81710186 DATE: 06/24/21
---	--	---

DRIVER INSTRUCTION: ON EVERGREEN @ PURITAN S OFF W.GRAND RIVER.. AT THE PARK... CITY SLIP	MAP PAGE: 01A1	TIME: 11:29
--	-------------------	----------------

PO NO.	ORDER NO.	DRIVER NAME	TRUCK NO.	QTY ORDERED	QTY DELIVERED	DESIGN SLUMP	DESIGNED AIR	PLANT NO.
	166	PENN, STANFORD	6634	22.10	11.00	5.00 in	6.00	1

ITEM NAME	QUANTITY	UOM	DESCRIPTION	UNIT PRICE	EXTENDED
P1-DETH 1015	11.00 1.00	yd EA	CITY OF DETROIT P1 MR ENVIRONMENTAL SURCHARGE		

MDOT STATEMENT: I hereby certify this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.					
CEMENT: GBFS: FLY ASH:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO. M-11	GRADE OF CONC.
COARSE AGG: INTERM AGG: FINE AGG:	L6AA-PIN 2NS-SMR	6AA - PORT INLAND 2NS SPRING MILL RECLAMATION	75-005 47-003	COMPANY REPRESENTATIVE (signature) <i>Kelley Thompson</i> COLLECTED (circle one) CHECK CASH CREDIT	

DRIVERS COMMENTS:						Customer Requested Ticket Before Discharge Completed ☐
INITIAL SLUMP	WATER ADDED	REQUESTED BY	FINAL SLUMP	TESTED AIR	REVOLUTIONS	I've read and agreed to the terms on the back side of this delivery ticket. X CUSTOMER SIGNATURE
LEAVE PLANT	ARRIVE AT JOB	START POUR	FINISH POUR	LEAVE JOB	ARRIVE PLANT	

SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete. **UNLOAD PROMPTLY: Excess time will be charged to the buyer.**

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
6634	8448	user1	81710186	81710186	11:29	6/24/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	P1-DETM				W2	339364

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1810 lb	19910 lb	19900 lb	-0.05%			
2NS-SMR	1270 lb	14319 lb	14300 lb	-0.13%	2.50% M	42 gl	
CMT1-LAA	584 lb	6204 lb	6200 lb	-0.06%			
WAT1	30.5 gl	277.1 gl	277.0 gl	-0.05%		277.0 gl	
0AE-PR	5.60 oz	129.36 oz	131.00 oz	1.27%			
0MRLI-PR	40 oz	435 oz	436 oz	0.35%			

Actual Load	42747 lb	Design W/C:	0.451	Water/Cement:	0.452 T	Design	335.5 gl	Actual	318.8 gl	To Add:	16.7 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-1.5 gl / CY				
Actual W/C Ratio:	0.429	Actual Water:	319 gl	Batched Cement:	6200 lb	Allowable Water:	137 lb	Wat Cem Contact:	11:29:06		

City Of Detroit

TRANSIT MIX CONCRETE PRODUCER'S CERTIFICATE

City Engineering Dept.

Job Location	CITY OF DETROIT		Date	6/24/2021	
Contractor	MAJOR		Time Batched	11:30	
This certifies that the concrete carried by this transit mix truck is composed of the following materials and in the amounts shown below:			TRUCK # :	634	YARDS
Coarse Agg.	6AA port inland		Gradation	1	#NAME?
Sand	SMR 2NS				
Cement	Lafarge Type 1		Type	I & 2	Lbs
Air Entraining Agent	BASF-MICRO-AIR		Micro Air		Lbs
Other Concrete Admixture	NON-CHLORIDE ACCELATOR				Ozs.
Transit Mix Concrete Producer	McCoig Concrete		Water - Gals		Ozs.
Yard	MID-RANGE		28.4		slag
Authorized Agent (Signature)		john gottschalk			

(Producer Not To Sign Below) (2.77) (REV. 08/07)

Additional Remarks Stated on The Back of This Certificate

Water Added at the Jobsite, If Any - Gallons

Time Truck Discharged

City Inspector (Signature)

City Of Detroit

TRANSIT MIX CONCRETE PRODUCER'S CERTIFICATE

City Engineering Dept.

Job Location	CITY OF DETROIT		Date	6/24/2021	
Contractor	MAJOR		Time Batched	11:30	
This certifies that the concrete carried by this transit mix truck is composed of the following materials and in the amounts shown below:					
Coarse Agg.	6AA port inland	TRUCK # :	634	YARDS	11
Sand	SMR 2NS	Gradation	1	#NAME?	1780
Cement	Lafarge Type 1	Type	I & 2	Lbs	1280
Air Entraining Agent	BASF-MICRO-AIR	Micro Air		Lbs	564
Other Concrete Admixture	NON-CHLORIDE ACCELATOR			Ozs.	5.64
Transit Mix Concrete Producer	McCoig Concrete			Ozs.	0
Water - Gals					30.5
MID-RANGE 28.4 slag					
Yard	Authorized Agent (Signature)		john.gottschalk		

(Producer Not To Sign Below)

(2.77) (REV. 08/07)

Additional Remarks Stated on The Back of This Certificate

Water Added at the Jobsite, If Any - Gallons

Time Truck Discharged

City Inspector (Signature)

City Of Detroit

TRANSIT MIX CONCRETE PRODUCER'S CERTIFICATE

City Engineering Dept.

Job Location	CITY OF DETROIT		Date	7/6/2021	
Contractor	MAJOR		Time Batched	9:23	
This certifies that the concrete carried by this transit mix truck is composed of the following materials and in the amounts shown below:			TRUCK # :	600	YARDS
Coarse Agg.	6AA port inland		Gradation	6aa	Lbs
Sand	SMR 2NS		1780		
Cement	Lafarge Type 1		Type	I & 2	Lbs
Air Entraining Agent	BASF-MICRO-AIR		Micro Air	564	
Other Concrete Admixture	NON-CHLORIDE ACCELATOR		5.64		
Transit Mix Concrete Producer	McCoig Concrete		Water - Gals	0	
Yard	MID-RANGE		28.4	slag	
			Authorized Agent (Signature)	john gottschalk	

(Producer Not To Sign Below)

(2.77) (REV. 08/07)

Additional Remarks Stated on The Back of This Certificate

Water Added at the
Jobsite, If Any -
GallonsTime Truck
Discharged

City Inspector (Signature)



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: B3195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 PURITAN GRAND RIVER PARKLET STRE				TICKET CODE: 81710648 DATE: 07/06/21	
DRIVER INSTRUCTION: ON EVERGREEN @ PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE: 01A1	TIME: 12:47	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	75	JOHNSON, STEVE	2600	10.10	10.00	5.00 in	6.00	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P1-DETM 1015 2495		10.00 1.00 10.00	yd EA PY	CITY OF DETROIT P1 MR ENVIRONMENTAL SURCHARGE HOT\CHILLED WATER					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GGBFS: FLY ASH:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA ALPENA		MDOT PLANT NO. M-11	GRADE OF CONC.				
COARSE AGG: INTERM AGG: FINE AGG:	L6AA-PIN 2NS-SMR	6AA - PORT INLAND 2NS SPRING MILL RECLAMATION		75-005 47-003	COMPANY REPRESENTATIVE (signature) <i>Kelany Frankowski</i> COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT				
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

Truck	Driver	User	Disp	Ticket Num	Ticket ID	Time	Date
2600	8437	user1		81710648	81710648	12:47	7/6/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID	
10.00 CY	P1-DETM				W2	339816	

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1810 lb	18100 lb	18160 lb	0.33%			
2NS-SMR	1270 lb	13081 lb	13080 lb	-0.01%	3.00% M	46 gl	
CMT1-LAA	564 lb	5640 lb	5630 lb	-0.18%			
WAT1	30.5 gl	0 gl	0 gl				
OAE-PR	5.60 oz	123.20 oz	123.00 oz	-0.16%			
OMRLI-PR	40 oz	395 oz	392 oz	-0.76%			
HWATER	100 %	247 gl	246 gl	-0.34%		246 gl	

Actual		Num Batches: 1							
Load	38955 lb	Design W/C:	0.451	Water/Cement:	0.452 T	Design	305.0 gl	Actual	291.7 gl To Add: 13.3 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:		0.0 gl / Load	Trim Water:	-1.3 gl / CY	
Actual W/C Ratio:	0.432	Actual Water:	292 gl	Batched Cement:		5630 lb	Allowable Water:	106 lb	Wat Cem Contact: 12:46:48



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 PURITAN GRAND RIVER PARKLET STRE				TICKET CODE: 81710724 DATE: 07/07/21	
DRIVER INSTRUCTION: ON EVERGREEN & PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE: 01A1	TIME: 13:05	
PO NO:	ORDER NO:	DRIVER NAME:	TRUCK NO:	QTY ORDERED:	QTY DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO:	
	38	LEE, TAMIKO	4824	11.10	11.00	5.00 in	6.00	1	
ITEM NAME		QUANTITY	UOM	DESCRIPTION			UNIT PRICE	EXTENDED	
P1-DETM 1015 2495		11.00 1.00 11.00	yd EA PY	CITY OF DETROIT P1 MR ENVIRONMENTAL SURCHARGE HOT\CHILLED WATER					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GGBFS: FLY ASH:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA ALPENA		MDOT PLANT NO. M-11	GRADE OF CONC.				
COARSE AGG: INTERM AGG: FINE AGG:	L6AA-PIN 2NS-SMR	6AA - PORT INLAND 2NS SPRING MILL RECLAMATION		75-005 47-003	COMPANY REPRESENTATIVE (signature) <i>Kelley T. [Signature]</i> X				
					COLLECTED (circle one) CHECK CASH CREDIT				
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X			
						CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
4824	8441	user1	81710724	81710724	13:05	7/7/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	P1-DETM				W2	339885
Material	Design Qty	Required	Batched	% Var%	Moisture	Actual Wat
L6AA-PIN	1810 lb	19910 lb	19900 lb	-0.05%		
2NS-SMR	1270 lb	14319 lb	14260 lb	-0.41%	2.50% M	42 gl
CMT1-LAA	564 lb	8204 lb	8230 lb	0.42%		
WAT1	30.5 gl	.0 gl	.0 gl			
AE-PR	5.80 oz	135.52 oz	138.00 oz	0.35%		
RLI-PR	40 oz	435 oz	438 oz	0.35%		
TER	100 %	277 gl	277 gl	-0.05%		277 gl
Num Batches: 1						
7737 lb	Design W/C: 0.451	Water/Cement: 0.449	T	Design	335.5 gl	Actual 318.7 gl To Add: 16.8 gl
in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load	Trim Water: -1.5 gl / CY			
7427	Actual Water: 319 gl	Batched Cement: 6230 lb	Allowable Water: 152 lb			Wat Cem Contact: 13:04:08

Of Detroit

TRANSIT MIX CONCRETE PRODUCER'S CERTIFICATE

City Engineering Dept.

Job Location	CITY OF DETROIT	Date	7/7/2021
Contractor	MAJOR	Time Batched	13:07
This certifies that the concrete carried by this transit mix truck is composed of the following materials and in the amounts shown below:		TRUCK # : 824	Cubic Yards 11
Coarse Agg.	PORT INLAND	Gradation 6AA	Lbs 1810
Sand	SPRING MILLS RELCAMATION - 2NS		Lbs 1230
Cement	Lafarge TYPE1	Type I & 2	Lbs 564
Air Entraining Agent	PREMIERE	CON AIR X	Ozs. 5.64
Other Concrete Admixture	NCA ACCELATOR		Ozs. 0
Transit Mix Concrete Producer	SRM	Water - Gals	30.5
Yard	MID-RANGE 39.48 slag		
	Authorized Agent (Signature)	john gottschalk	

(Producer Not To Sign Below) (2.77) (REV. 08/07)

Additional Remarks Stated on The Back of This Certificate

Water Added at the Jobsite, If Any - Gallons

Time Truck Discharged

City Inspector (Signature)