

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2725 MAJOR CEMENT CO- DIV II PAVING PO BOX 23740				SHIP TO: V46855 MDOT B2121-204003 - M5 E OF ROUGE RIVER GRAND RIVER FROM TELGRAPH TO SOUTHFIELD				TICKET CODE: 1239126 DATE: 10/24/20	
DRIVER INSTRUCTION: GRAND RIVER & EVERGREEN							MAP PAGE:	TIME: 9:20	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	126	LORENZO HARRIS	2339	11.01	11.00	5.00 in	6.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
S1-SM SAT		11.00 11.00	yd ea	MDOT S1 S35 MR SATURDAY CHARGES					
MDOT 1155 STATEMENT: I hereby certify this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA		ALPENA	MDOT PLANT NO.	GRADE OF CONC.			
GGBFS:	CMGS-LA	LAFARGE NORTH AMERICA GGBF		S. CHICAGO	M-11				
FLY ASH:									
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND		75-005	COMPANY REPRESENTATIVE (signature) <i>Relay</i>				
INTERM AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003	COLLECTED (circle one) ☒				
FINE AGG:					CHECK CASH CREDIT ☒				
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	CUSTOMER SIGNATURE X			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete. UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2339	LOHARRIS	user1	1239126	1239126	9:20	10/24/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 yd	S1-SM				W2	327046

Material	Design Qty	Required	Batched	% Var%	Moisture	Actual	Wat
L6AA-PIN	1880 lb	18480 lb	18480 lb	0.00%			
2NS-SMR	1340 lb	15403 lb	15360 lb	-0.28%	4.50% M	79 gl	
CMT1-LAA	397 lb	4367 lb	4350 lb	-0.39%			
CMGS-LA	214 lb	2354 lb	2350 lb	-0.17%			
WAT1	30.1 gl	248.1 gl	248.0 gl	-0.05%		248.0 gl	
OAE-BA	6 oz	84 oz	84 oz	-0.02%			
OMRLI-PR	31 oz	338 oz	332 oz	-1.21%			
HWATER	% #	gl	gl				

Actual Load	42619 lb	Design W/C:	0.411	Water/Cement:	0.412 T	Design	331.1 gl	Actual	325.3 gl	To Add:	5.8 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-0.5 gl / yd				

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
2 - Yellow (Customer)
3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2725 MAJOR CEMENT CO- DIV II PAVING PO BOX 23740				SHIP TO: V46855 MDT 82121-204003 - M5 E OF ROUGE RIVER GRAND RIVER FROM TELGRAPH TO SOUTHFIELD				TICKET CODE: 1239152 DATE: 10/24/20	
DRIVER INSTRUCTION: GRAND RIVER & EVERGREEN						MAP PAGE:		TIME: 10:53	
P.O. NO.:	ORDER NO.: 126	DRIVER NAME: ANTHONY OGLESBY	TRUCK NO.: 4800	QTY. ORDERED: 20.00	QTY. DELIVERED: 20.00	DESIGN SLUMP: 5.00 in	DESIGNED AIR: 6.50	PLANT NO.: 1	
ITEM NAME: S1-SM SAT		QUANTITY: 9.00 9.00	UOM: yd ea	DESCRIPTION: MDOT S1 S35 MR SATURDAY CHARGES			UNIT PRICE:	EXTENDED:	
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GGBF:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF		ALPENA S. CHICAGO	MDOT PLANT NO.: M-11	GRADE OF CONC.			
COARSE AGG: INTERM AGG: FINE AGG:	L6AA-PIN 2NS-SMR	6AA - PORT INLAND 2NS SPRING MILL RECLAMATION		75-005 47-003	COMPANY REPRESENTATIVE (signature) <i>Kelley J. [Signature]</i>			COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT	
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	☒			
						CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
4800	ANOGLESBY	user1	1239152	1239152	10:53	10/24/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
9.00 yd	S1-SM				W2	327072

Material	Design Qty	Required	Batched	% Var%	Moisture	Actual	Wat
LSAA-PIN	1680 lb	15120 lb	15120 lb	0.00%			
2NS-SMR	1340 lb	12663 lb	12660 lb	-0.02%	5.00% M	72 gl	
CMT1-LAA	397 lb	3573 lb	3580 lb	0.20%			
CMGS-LA	214 lb	1926 lb	1920 lb	-0.31%			
WAT1	30.1 gl	189.6 gl	189.0 gl	-0.34%		189.0 gl	
OAE-BA	6 oz	69 oz	69 oz	-0.35%			
OMRLI-PR	31 oz	275 oz	272 oz	-1.07%			
HWATER	% #	gl	gl				

Actual	Num Batches: 1							
Load	34878 lb	Design W/C: 0.411	Water/Cement: 0.411	T	Design	270.9 gl	Actual	261.2 gl To Add: 9.7 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	-1.0 gl / yd		



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 GRAND RIVER AND EVERGREEN				TICKET CODE: 818098 DATE: 11/21/20	
DRIVER INSTRUCTION: SOUTH EAST CORNER OF GRAND RIVER AND EVERGREEN							MAP PAGE: 01A1	TIME: 7:45	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	30	JOHNSON, STEVE	2600	7.00	7.00	5.00 in	6.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
S1-SM 1015 1030		7.00 1.00 7.00	yd EA PY	MDT S1 S35 MR ENVIRONMENTAL SURCHARGE WINTER CHARGE					
MDT 1185 STATEMENT: I hereby certify this concrete meets MDT specifications, materials are approved sources, tested, certified to MDT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA		ALPENA	MDOT PLANT NO.	GRADE OF CONC.			
GGGFS:	CMGS-LA	LAFARGE NORTH AMERICA GGBF		S. CHICAGO	M-11				
FLY ASH:					COMPANY REPRESENTATIVE (signature) <i>Robert J. Matthews</i>				
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND		75-005	COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT				
INTERM AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003					
FINE AGG:									
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2600	8437	user1	818098	818098	7:45	11/21/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
7.00 CY	S1-SM				W2	329478

Material	Design Qty	Required	Batched	% Var%	Moisture	Actual	Wat
L6AA-PIN	1680 lb	11780 lb	11780 lb	0.17%			
2NS-SMR	1340 lb	9708 lb	9680 lb	-0.29%	3.50% M	39 gl	
CMT1-LAA	397 lb	2779 lb	2770 lb	-0.32%			
CMGS-LA	214 lb	1498 lb	1490 lb	-0.53%			
WAT1	30.1 gl	34.3 gl	34.0 gl	-0.79%		34.0 gl	
OAE-BA	6 oz	75 oz	75 oz	0.37%			
OMRLI-PR	31 oz	214 oz	216 oz	0.84%			
WATER	80 % #	137 gl	137 gl	-0.08%		137 gl	

Num Batches: 1							
27185 lb	Design W/C: 0.411	Water/Cement: 0.413	T	Design	210.7 gl	Actual	210.2 gl To Add: 0.5 gl
00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	0.0 gl / CY	



SRM Concrete
1441 Springwells Ct. Detroit, MI 48209
PHONE: (734) 357-2124

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 GRAND RIVER AND EVERGREEN				TICKET CODE: 820863 DATE: 11/24/20	
DRIVER INSTRUCTION: SOUTH EAST CORNER OF GRAND RIVER AND PURITAN								MAP PAGE: 01A1	TIME: 9:46
PO. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	47	KIDD, JAMAIN	2435	33.10	11.00	5.00 in	6.50	2	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
S1-SM 1015 1030		11.00 1.00 11.00	yd EA PY	MDOT S1 S35 MR ENVIRONMENTAL SURCHARGE WINTER CHARGE					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA		Alpena	MDOT PLANT NO.:	GRADE OF CONC.			
GGGFS:	CMGS-LA	LAFARGE NORTH AMERICA GGBF		S. Chicago					
FLY ASH:					COMPANY REPRESENTATIVE (signature)				
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND		71-003	COLLECTED (circle one) CHECK CASH CREDIT				
INTERM AGG:	2NS-WLB	2NS - WATERLAND-BURMEISTER 8		81-093					
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete. UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck 2435	Driver 8439	User user	Disp Ticket Num 820863	Ticket ID 820863	Time 9:46	Date 11/24/20
Load Size 11.00 CY	Mix Code S1-SM	Returned	Qty	Mix Age	Seq 2W	Load ID 233179

Material Batch:	Design Qty	SSD	Adj.T	Required	Batched	% Var	% Moisture	Actual Wat	Trim
	1 ----	Start: 9:46:27	End: 9:50:10		Time (hh:mm:ss): 00 : 03 : 43 ----				
L6AA-PIN	1680 lb	1680		18480 lb	18440 lb	-0.22%			
2NS-WLB	1340 lb	1340		15219 lb	15160 lb	-0.39%	3.25%	57 gl	
CMT1-LAA	397.0 lb	397.0		4367.0 lb	4350.0 lb	-0.39%			
CMGS-LA	214.0 lb	214.0		2354.0 lb	2350.0 lb	-0.17%			
WAT1	30.1 gl	30.1		262.2 gl	261.5 gl	-0.27%		261.5 gl	-1.0 gl
OAE-BA	8.10 oz	8.10		87.23 oz	87.00 oz	-0.26%			130.00 %
OMRLI-PR	31 oz	31		337 oz	336 oz	-0.18%			

Actual Load	42508 lb	Design W/C:	0.411	Water/Cement:	0.412 A	Design	331.1 gl	Actual	318.7 gl	To Add:	12.4 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:		0.0 gl / Load	Trim Water:	-1.0 gl /	CY	Note: Manual feed occurred	



SRM Concrete
1441 Springwells Ct. Detroit, MI 48209
PHONE: (734) 357-2124

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 GRAND RIVER AND EVERGREEN				TICKET CODE: 820892 DATE: 11/24/20	
DRIVER INSTRUCTION: SOUTH EAST CORNER OF GRAND RIVER AND PURITAN								MAP PAGE: 01A1	TIME: 11:30
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	47	CHAPP, JOE	2442	44.10	44.00	5.00 in	6.50	2	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
S1-SM 1015 1030		11.00 1.00 11.00	yd EA PY	MDOT S1 S35 MR ENVIRONMENTAL SURCHARGE WINTER CHARGE					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GGBS: FLY ASH:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF		Alpena S. Chicago	MDOT PLANT NO.	GRADE OF CONC.			
COARSE AGG: INTERM AGG: FINE AGG:	L6AA-PIN 2NS-WLB	6AA - PORT INLAND 2NS WATERLAND BURMEISTER 8		71-003 81-093	COMPANY REPRESENTATIVE (signature) <i>Joseph Yahi</i>			COLLECTED (circle one) CHECK CASH CREDIT	
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket. <i>MASARIST</i> X			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck 2442	Driver 8428	User user	Disp Ticket Num 820892	Ticket ID 820892	Time 11:30	Date 11/24/20
Load Size 11.00 CY	Mix Code S1-SM	Returned	Qty	Mix Age	Seq 2W	Load ID 233208

Material	Design Qty	SSD	Adj.T	Required	Batched	% Var	%Moisture	Actual Wat	Trim
Batch:	1	Start:	End:	11:37:38	Time (hh:mm:ss):	00 : 07	: 37		
L6AA-PIN	1680 lb	1680		18480 lb	18440 lb	-0.22%			
2NS-WLB	1340 lb	1340		15219 lb	15120 lb	-0.65%	3.25%	57 gl	
CMT1-LAA	397.0 lb	397.0		4367.0 lb	4350.0 lb	-0.39%			
CMGS-LA	214.0 lb	214.0		2354.0 lb	2450.0 lb	> 4.08%			
WAT1	30.1 gl	30.1		273.2 gl	273.0 gl	-0.07%		273.0 gl	
OAE-BA	6.10 oz	6.10		87.23 oz	87.00 oz	-0.26%			130.00 %
OMRLI-PR	31 oz	31		337 oz	336 oz	-0.18%			

Actual Load	42664 lb	Design W/C:	0.411	Water/Cement:	0.406	A	Design	331.1 gl	Actual	330.0 gl	To Add:	1.1 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0	gl / Load	Trim Water:	0.0	gl /	CY		



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: B3195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 GRAND RIVER & PURITAN				TICKET CODE: 81700496 DATE: 12/03/20		
DRIVER INSTRUCTION: GRAND RIVER & PURITAN // WEST OF SOUTHFIELD // SOUTH OF MCNICHOLS							MAP PAGE: 01A1		TIME: 11:11	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:		
??	10	HEARN, DEREK	1474	33.10	27.00	4.00 in	6.50	1		
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:		
S1-SM 1015 1030		5.00 1.00 5.00	yd EA PY	MDOT S1 535 MR ENVIRONMENTAL SURCHARGE WINTER CHARGE						
MDOT 1155 STATEMENT: I hereby certify this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.										
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.					
GBBFS:	CMGS-LA	LAFARGE NORTH AMERICA GBBF	S- CHICAGO	M-11						
FLY ASH:				COMPANY REPRESENTATIVE (signature)						
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	75-005	COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT						
INTERM AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003							
FINE AGG:										
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐						
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.				
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X				
						CUSTOMER SIGNATURE				
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete. UNLOAD PROMPTLY: Excess time will be charged to the buyer.										

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
1474	8417	user1	81700496	81700496	11:11	12/3/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
5.00 CY	S1-SM				W2	329876

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1680 lb	8400 lb	8400 lb	0.00%			
2NS-SMR	1340 lb	6968 lb	6960 lb	-0.11%	4.00% M		32 gl
CMT1-LAA	397 lb	1985 lb	2010 lb	1.26%			
CMGS-LA	214 lb	1070 lb	1060 lb	-0.93%			
WAT1	30.1 gl	.0 gl	.0 gl				
QAE-BA	8 oz	32 oz	32 oz	-0.08%			
OMRLI-PR	31 oz	153 oz	152 oz	-0.65%			
HWATER	100 %	116 gl	116 gl	0.10%			116 gl

Actual	Num Batches: 1						
Load	19410 lb	Design W/C: 0.411	Water/Cement: 0.409	T	Design	150.5 gl	Actual 148.1 gl To Add: 2.4 gl
Slump:	4.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	-0.5 gl / CY	



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
2 - Yellow (Customer)
3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 PURTAIN & EVERGREEN DETROIT			TICKET CODE: 81709926 DATE: 06/21/21	
DRIVER INSTRUCTION: ON EVERGREEN @ PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE: 01A1	TIME: 13:30
RD. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:
	129	KIDD, JAMAINE	2438	22.10	11.00	5.00 in	6.00	1
SI-PPSM 1015 TRUCKWAS		11.00 1.00 1.00	yd EA EA	MDOT SI PEA PEBBLE EXP S35 MR ENVIRONMENTAL SURCHARGE COLOR WASHOUT DRUM CLEANOUT				
MDOT 1110 STATEMENT: I hereby certify this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.								
CEMENT: GGBFS: FLY ASH:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF	ALPENA S. CHICAGO	MDOT PLANT NO. M-11	GRADE OF CONC.			
COARSE AGG: INTERM AGG: FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003	COMPANY REPRESENTATIVE (signature) <i>Releef Thompson</i>			COLLECTED (circle one) CHECK CASH CREDIT	
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.		
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE SITE:	X			
						CUSTOMER SIGNATURE		
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete. UNLOAD PROMPTLY: Excess time will be charged to the buyer.								

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2438	8439	user1	81709926	81709926	13:30	6/21/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	SI-PPSM				W2	339111

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
PPEB-AAR	1946 lb	21408 lb	21520 lb	0.53%			
2NS-SMR	1080 lb	12298 lb	12280 lb	-0.29%	3.50% M	50 gl	
CMT1-LAA	397 lb	4367 lb	4360 lb	-0.18%			
CMGS-LA	214 lb	2354 lb	2350 lb	-0.17%			
WAT1	28.4 gl	240.6 gl	241.0 gl	0.18%		241.0 gl	
QAE-BA	8 oz	74 oz	74 oz	0.26%			
QMRLI-PR	31 oz	337 oz	336 oz	-0.18%			

Actual	Num Batches: 1						
Load	42627 lb	Design W/C: 0.388	Water/Cement: 0.389	T	Design	312.4 gl	Actual 290.7 gl To Add: 21.7 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	-2.0 gl / CY	
Actual W/C Ratio: 0.382		Actual Water: 291 gl	Batched Cement: 6710 lb		Allowable Water: 177 lb	Wat Cem Contact: 13:29:54	



SRM CONCRETE

500 E. Seven Mile Rd. Detroit, MI 48203

PHONE: (313) 368-1133

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

- 1 - White (Office)
2 - Yellow (Customer)
3 - Pink (Misc.)

SOLD TO: B3195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 PURTAIN & EVERGREEN DETROIT				TICKET CODE: 81709929 DATE: 06/21/21	
DRIVER INSTRUCTION: ON EVERGREEN & PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE: 01A1	TIME: 15:15	
PO. NO.	ORDER NO.	DRIVER NAME	TRUCK NO.	QTY. ORDERED	QTY. DELIVERED	DESIGN SLUMP	DESIGNED AIR	PLANT NO.	
	129	GEORGE J. JONES	2435	22.10	22.00	5.00 in	6.00	1	
ITEM NAME		QUANTITY	UOM	DESCRIPTION			UNIT PRICE	EXTENDED	
S1-PPSM 1015		11.00 1.00	yd EA	MDOT S1 PEA PEBBLE EXP S35 MR ENVIRONMENTAL SURCHARGE					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GBBFS: FLY ASH:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF		ALPENA S. CHICAGO	MDOT PLANT NO.	GRADE OF CONC.			
					M-11				
COARSE AGG: INTERM AGG: FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003	COMPANY REPRESENTATIVE (signature) Kelsey J. Jankowski				
					COLLECTED (circle one) CHECK CASH CREDIT				
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	RECEIVED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete. UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2435	8432	user1	81709929	81709929	15:15	6/21/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	S1-PPSM				W2	339114

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
PPEB-AAR	1946 lb	21408 lb	21480 lb	0.35%			
2NS-SMR	1080 lb	12298 lb	12280 lb	-0.13%	3.50% M	50 gl	
CMT1-LAA	397 lb	4367 lb	4370 lb	0.07%			
CMGS-LA	214 lb	2354 lb	2330 lb	-1.02%			
WAT1	28.4 gl	251.6 gl	251.0 gl	-0.23%		251.0 gl	
QAE-BA	6 oz	74 oz	74 oz	0.26%			
OMRLI-PR	31 oz	337 oz	336 oz	-0.18%			

Actual	Num Batches:	1					
Load	42580 lb	Design W/C:	0.388	Water/Cement:	0.389 T	Design	312.4 gl
Slump:	5.00 in	Water In Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-1.0 gl / CY
Actual W/C Ratio:	0.375	Actual Water:	301 gl	Batched Cement:	6700 lb	Allowable Water:	89 lb
						Wat Cem Contact:	15:13:24



SRM CONCRETE

500 E. Seven Mile Rd. Detroit, MI 48203

PHONE: (313) 368-1133

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

- 1 - White (Office)
2 - Yellow (Customer)
3 - Pink (Misc.)

SOLD TO: B3195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 PURTAINE & EVERGREEN DETROIT				TICKET CODE: 81709932 DATE: 06/21/21	
DRIVER INSTRUCTION: ON EVERGREEN @ PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE: 01A1	TIME: 16:14	
PG. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	129	KIDD, JAMAIN	2438	44.10	33.00	5.00 in	6.00	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
S1-PPSM 1015		11.00 1.00	yd EA	MDOT S1 PEA PEBBLE EXP S35 HR ENVIRONMENTAL SURCHARGE					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GGGFS: FLY ASH:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF		ALPENA S: CHICAGO	MDOT PLANT NO. M-11	GRADE OF CONC.			
COARSE AGG: INTERM AGG: FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003	COMPANY REPRESENTATIVE (signature) <i>Kelley S. [Signature]</i>		COLLECTED (circle one) CHECK CASH CREDIT		
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LOAD PLATE:	APPROVE BY:	DRIVER SIGNATURE:	TRUCK SIGNATURE:	LEAVE SIGNATURE:	WATER FLOID:	X			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.						UNLOAD PROMPTLY: Excess time will be charged to the buyer.			

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2438	8439	user1	81709932	81709932	16:14	6/21/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	S1-PPSM				W2	339117

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
PPEB-AAR	1946 lb	21406 lb	21660 lb	>	1.19%		
2NS-SMR	1080 lb	12296 lb	12260 lb		3.50% M	50 gl	
CMT1-LAA	397 lb	4367 lb	4380 lb		-0.16%		
CMGS-LA	214 lb	2354 lb	2340 lb		-0.59%		
WAT1	28.4 gl	257.1 gl	257.0 gl		-0.03%	257.0 gl	
OAE-BA	8 oz	77 oz	77 oz		-0.21%		
OMRLI-PR	31 oz	337 oz	340 oz		1.01%		

Actual	Num Batches: 1						
Load	42791 lb	Design W/C: 0.388	Water/Cement: 0.389	T	Design	312.4 gl	Actual 306.7 gl To Add: 5.7 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	-0.5 gl / CY	
Actual W/C Ratio: 0.382	Actual Water: 307 gl	Batched Cement: 6700 lb	Allowable Water: 39 lb		Wat Cem Contact: 18:12:58		



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203

PHONE: (313) 368-1133

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 19850 GRAND RIVER AVE DETROIT				TICKET CODE: 81710132 DATE: 06/23/21	
DRIVER INSTRUCTION: ON EVERGREEN & PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE: 01A1	TIME: 16:19	
PO NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	CITY ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	68	WHITE, TYRANE	4831	33.10	11.00	5.00 in	6.00	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
S1-PPSM 1015		11.00 1.00	yd EA	MDOT S1 PEA PEBBLE EXP S35 MR ENVIRONMENTAL SURCHARGE					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GGGFS: FLY ASH:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF		ALPENA S. CHICAGO	MDOT PLANT NO. M-11	GRADE OF CONC.			
COARSE AGG: INTERM AGG: FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003	COMPANY REPRESENTATIVE (signature) <i>Kelley Thompson</i>			COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT	
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	☒ CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
4831	8456	user1	81710132	81710132	16:19	6/23/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	S1-PPSM				W2	339311

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
PPEB-AAR	1946 lb	21406 lb	21380 lb	-0.12%			
2NS-SMR	1080 lb	12236 lb	12180 lb	-0.46%	3.00% M	43 gl	
CMT1-LAA	397 lb	4367 lb	4430 lb	1.44%			
CMGS-LA	214 lb	2354 lb	2350 lb	-0.17%			
WAT1	28.4 gl	258.7 gl	259.0 gl	0.12%		259.0 gl	
OAE-BA	6 oz	74 oz	74 oz	0.26%			
OMRLI-PR	31 oz	337 oz	336 oz	-0.18%			

Actual		Num Batches: 1					
Load	42527 lb	Design W/C:	0.388	Water/Cement:	0.385	T	
Slump:	5.00 in	Water In Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-1.0 gl / CY
Actual W/C Ratio:	0.371	Actual Water:	302 gl	Batched Cement:	6780 lb	Allowable Water:	113 lb
						Wat Cem Contact:	16:19:01



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 19850 GRAND RIVER AVE DETROIT				TICKET CODE: 81710137 DATE: 06/23/21	
DRIVER INSTRUCTION: ON EVERGREEN @ PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE: 01A1	TIME: 17:54	
PO NO.	ORDER NO.	DRIVER NAME	TRUCK NO.	QTY ORDERED	QTY DELIVERED	DESIGN SLUMP	DESIGNED AIR	PLANT NO.	
	68	KIDD, JAMAIN	2438	32.10	32.00	5.00 in	6.00	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
S1-PPSM 1015		10.00 1.00	yd EA	MDOT S1 PEA PEBBLE EXP S35 MR ENVIRONMENTAL SURCHARGE					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA		ALPENA	MDOT PLANT NO.	GRADE OF CONC.			
GGGFS:	CMGS-LA	LAFARGE NORTH AMERICA GGBF		S. CHICAGO	M-11				
FLY ASH:					COMPANY REPRESENTATIVE (signature) <i>Relay Thompson</i>				
COARSE AGG:		2NS SPRING MILL RECLAMATION		47-000	COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT				
INTERM AGG:	2NS-SMR								
FINE AGG:									
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
UNLOAD PROMPTLY: Excess time will be charged to the buyer.					CUSTOMER SIGNATURE X				

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2438	8439	user1	81710137	81710137	17:54	6/23/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
10.00 CY	S1-PPSM				W2	339316

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
PPEB-AAR	1946 lb	19460 lb	19320 lb	-0.72%			
2NS-SMR	1080 lb	11124 lb	11100 lb	-0.22%	3.00% M	39 gl	
CMT1-LAA	397 lb	3970 lb	3970 lb	0.00%			
CMGS-LA	214 lb	2140 lb	2120 lb	-0.93%			
WAT1	28.4 gl	245.2 gl	245.0 gl	-0.07%		245.0 gl	
QAE-BA	6 oz	67 oz	67 oz	-0.89%			
OMRLI-PR	31 oz	308 oz	304 oz	-0.85%			

Actual		Num Batches: 1					
Load	38578 lb	Design W/C:	0.388	Water/Cement:	0.389	T	
Slump:	5.00 in	Water In Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	0.0 gl / CY
Actual W/C Ratio:	0.389	Actual Water:	284 gl	Batched Cement:	6090 lb	Allowable Water:	0 lb
				Design	284.0 gl	Actual	283.7 gl
						To Add:	0.3 gl
						Wat Cem Contact:	17:53:31



SRM CONCRETE

500 E. Seven Mile Rd. Detroit, MI 48203

PHONE: (313) 368-1133

MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES

- 1 - White (Office)
2 - Yellow (Customer)
3 - Pink (Misc.)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 19850 GRAND RIVER AVE DETROIT				TICKET CODE: 81710135 DATE: 06/23/21	
DRIVER INSTRUCTION: ON EVERGREEN & PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE: 01A1	TIME: 17:08	
PO. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	68	STURDIVANT, JC	2353	33.10	22.00	5.00 in	6.00	1	
ITEM NAME:		QUANTITY:	UNIT:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
S1-PPSM 1015		11.00 1.00	yd EA	MDOT S1 PEA PEBBLE EXP S35 MR ENVIRONMENTAL SURCHARGE					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GGGFS: FLY ASH:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF		ALPENA S. CHICAGO	MDOT PLANT NO. M-11	GRADE OF CONC.			
COARSE AGG: INTERM AGG: FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003	COMPANY REPRESENTATIVE (signature) <i>Kelley Frankowski</i>			COLLECTED (circle one) CHECK CASH CREDIT	
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE SITE:	ARRIVE PLANT:	X			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.						UNLOAD PROMPTLY: Excess time will be charged to the buyer.			

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2353	8451	user1	81710135	81710135	17:08	6/23/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	S1-PPSM				W2	339314

Material	Design Qty	Required	Batched	% Var%	% Moisture	Actual	Wat
PPEB-AAR	1946 lb	21406 lb	21200 lb	-0.96%			
2NS-SMR	1080 lb	12236 lb	12240 lb	0.03%	3.00% M	43 gl	
CMT1-LAA	397 lb	4367 lb	4370 lb	0.07%			
CMGS-LA	214 lb	2354 lb	2350 lb	-0.17%			
WAT1	28.4 gl	264.2 gl	264.0 gl	-0.07%		264.0 gl	
QAE-BA	6 oz	74 oz	74 oz	0.26%			
OMRLI-PR	31 oz	337 oz	336 oz	-0.18%			

Actual	Num Batches: 1						
Load	42389 lb	Design W/C: 0.388	Water/Cement: 0.388 T	Design	312.4 gl	Actual	306.7 gl To Add: 5.7 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-0.5 gl / CY
Actual W/C Ratio: 0.381	Actual Water:	307 gl	Batched Cement:	6720 lb	Allowable Water:	47 lb	Wat Cem Contact: 17:07:29



SRM CONCRETE

500 E. Seven Mile Rd. Detroit, MI 48203

PHONE: (313) 368-1133

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

- 1 - White (Office)
2 - Yellow (Customer)
3 - Pink (Misc.)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 PURITAN GRAND RIVER PARKLET STRE				TICKET CODE 81710520 DATE 07/01/21	
DRIVER INSTRUCTION: ON EVERGREEN @ PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE 01A1	TIME 14:54	
PO. NO.	ORDER NO.	DRIVER NAME	TRUCK NO.	QTY. ORDERED	QTY. DELIVERED	DESIGN SLUMP	DESIGNED AIR	PLANT NO.	
	154	CHAPP, JOE	2442	44.10	11.00	5.00 in	6.00	1	
ITEM NAME		QUANTITY	UOM	DESCRIPTION			UNIT PRICE	EXTENDED	
S1-PPSM 1015		11.00 1.00	yd EA	MDOT S1 PEA PEBBLE EXP S35 MR ENVIRONMENTAL SURCHARGE					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GGGBFS: FLY ASH:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF		ALPENA S. CHICAGO	MDOT PLANT NO. M-11	GRADE OF CONC.			
COARSE AGG: INTERM AGG: FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003	COMPANY REPRESENTATIVE (signature) <i>Kelley J. [Signature]</i>		COLLECTED (circle one) CHECK CASH CREDIT		
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT	ARRIVE AT JOB	START POUR	FINISH POUR	LEAVE PLANT	ARRIVE PLANT	X			
						CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2442	8428	user1	81710520	81710520	14:54	7/1/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	S1-PPSM				W2	339688

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
PPEB-AAR	1946 lb	21406 lb	21540 lb	0.83%			
2NS-SMR	1080 lb	12355 lb	12360 lb	0.04%	4.00% M	57 gl	
CMT1-LAA	397 lb	4367 lb	4410 lb	0.98%			
CMGS-LA	214 lb	2354 lb	2350 lb	-0.17%			
WAT1	28.4 gl	244.5 gl	245.0 gl	0.22%		245.0 gl	
QAE-BA	6 oz	74 oz	74 oz	-0.42%			
OMRLHPR	31 oz	337 oz	336 oz	-0.18%			

Actual	Num Batches: 1							
Load	42730 lb	Design W/C: 0.388	Water/Cement: 0.386	T	Design	312.4 gl	Actual	302.0 gl To Add: 10.4 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	-1.0 gl / CY		
Actual W/C Ratio: 0.373		Actual Water: 302 gl	Batched Cement: 6760 lb		Allowable Water:	102 lb	Wat Cem Contact:	14:53:18



SRM CONCRETE

500 E. Seven Mile Rd. Detroit, MI 48203

PHONE: (313) 368-1133

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 PURITAN GRAND RIVER PARKLET STRE				TICKET CODE: 81710523 DATE: 07/01/21	
DRIVER INSTRUCTION: ON EVERGREEN @ PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE: 01A1	TIME: 15:43	
PO. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY ORDERED:	QTY DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	154	PENN, STANFORD	6634	44.10	22.00	5.00 in	6.00	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
S1-PPSM 1015		11.00 1.00	yd EA	MDOT S1 PEA PEBBLE EXP 535 MR ENVIRONMENTAL SURCHARGE					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GBBFS: FLY ASH:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF		ALPENA S. CHICAGO	MDOT PLANT NO. M-11	GRADE OF CONC.			
COARSE AGG: INTERM AGG: FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003	COMPANY REPRESENTATIVE (signature) <i>Kelley J. Thompson</i>		COLLECTED (circle one) CHECK CASH CREDIT		
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.						UNLOAD PROMPTLY: Excess time will be charged to the buyer.			

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
6634	8448	user1	81710523	81710523	15:43	7/1/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	S1-PPSM				W2	339690

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
PPEB-AAR	1946 lb	21406 lb	21360 lb	-0.21%			
2NS-SMR	1080 lb	12355 lb	12340 lb	-0.12%	4.00% M	57 gl	
CMT1-LAA	387 lb	4367 lb	4370 lb	0.07%			
CMGS-LA	214 lb	2354 lb	2340 lb	-0.58%			
WAT1	28.4 gl	281.0 gl	281.0 gl	0.02%		281.0 gl	
OAE-BA	6 oz	74 oz	74 oz	0.26%			
OMRLI-PR	31 oz	337 oz	336 oz	-0.18%			

Actual	Num Batches: 1							
Load	42814 lb	Design W/C: 0.388	Water/Cement: 0.395	A	Design	312.4 gl	Actual	317.9 gl To Add: 0.0 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	0.5 gl / CY		
Actual W/C Ratio: 0.395		Actual Water: 318 gl	Batched Cement: 6710 lb		Allowable Water:	0 lb	Wat Cem Contact:	15:43:08



SRM CONCRETE
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 PURITAN GRAND RIVER PARKLET STRE				TICKET CODE: 81710524 DATE: 07/01/21	
DRIVER INSTRUCTION: ON EVERGREEN @ PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE: 01A1	TIME: 16:37	
PO. NO.:	DISPATCH NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	154	MURFF, CHRIS TC	4807	44.10	33.00	5.00 in	6.00	1	
ITEM NAME:	QUANTITY:	UOM:	DESCRIPTION:				UNIT PRICE:	EXTENDED:	
S1-PPSM 1015	11.00 1.00	yd EA	MDOT S1 PEA PEBBLE EXP S35 MR ENVIRONMENTAL SURCHARGE						
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GBBFS: FLY ASH:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF		ALPENA S: CHICAGO	MDOT PLANT NO. M-11	GRADE OF CONC.			
COARSE AGG: INTERM AGG: FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003	COMPANY REPRESENTATIVE (signature) <i>Kelley J. [Signature]</i>			COLLECTED (circle one) ☐ CHECK ☐ CASH ☐ CREDIT	
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	CUSTOMER SIGNATURE X			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
4807	8446	user1	81710524	81710524	16:37	7/1/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	S1-PPSM				W2	339691

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
PPEB-AAR	1946 lb	21406 lb	21720 lb	>	1.47%		
2NS-SMR	1080 lb	12355 lb	12380 lb		0.04%	4.00% M	57 gl
CMT1-LAA	397 lb	4367 lb	4370 lb		0.07%		
CMGS-LA	214 lb	2354 lb	2340 lb	<	-0.59%		
WAT1	28.4 gl	221.0 gl	221.0 gl		0.02%		221.0 gl
QAE-BA	8 oz	74 oz	74 oz		0.26%		
OMRLI-PR	31 oz	337 oz	336 oz		-0.18%		

Actual	Num Batches: 1						
Load	42680 lb	Design W/C: 0.388	Water/Cement: 0.389	T	Design	312.4 gl	Actual 278.0 gl To Add: 34.4 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: -40.0 gl / Load		Trim Water:	0.5 gl / CY	
Actual W/C Ratio: 0.346		Actual Water: 278 gl	Batched Cement: 6710 lb		Allowable Water: 283 lb	Wat Cem Contact: 16:36:40	



SRM CONCRETE

500 E. Seven Mile Rd. Detroit, MI 48203

PHONE: (313) 368-1133

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

- 1 - White (Office)
2 - Yellow (Customer)
3 - Pink (Misc.)

SOLD TO: 83195 MAJOR CEMENT CO- DIV II PAVING				SHIP TO: 33 PURITAN GRAND RIVER PARKLET STRE				TICKET CODE: 81710525 DATE: 07/01/21	
DRIVER INSTRUCTION: ON EVERGREEN @ PURITAN S OFF W.GRAND RIVER.. AT THE PARK							MAP PAGE: 01A1	TIME: 17:29	
ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:		
154	CHAPP, JOE	2442	44.10	44.00	5.00 in	6.00	1		
ITEM NAME	QUANTITY	UOM	DESCRIPTION			UNIT PRICE	EXTENDED		
B1-PPSM 1015	11.00 1.00	yd EA	MDOT 51 PEA PEBBLE EXP S35 MR ENVIRONMENTAL SURCHARGE						
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GGGFS: FLY ASH:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF	ALPENA S. CHICAGO	MDOT PLANT NO. M-11	GRADE OF CONC.				
COARSE AGG: INTERM AGG: FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003	COMPANY REPRESENTATIVE (signature) <i>Kelley J. Thompson</i>		COLLECTED (circle one) CHECK CASH CREDIT			
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
9	0	MDOT	5						
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	CUSTOMER SIGNATURE <i>MDOT</i>			
6:00	6:00	6:00							
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2442	8428	user1	81710525	81710525	17:29	7/1/21
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 CY	S1-PPSM				W2	339692

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
PPEB-AAR	1946 lb	21406 lb	21320 lb	-0.40%			
2NS-SMR	1080 lb	12355 lb	12380 lb	0.20%	4.00% M	57 gl	
CMT1-LAA	397 lb	4367 lb	4350 lb	-0.39%			
CMGS-LA	214 lb	2354 lb	2350 lb	-0.17%			
WAT1	28.4 gl	286.5 gl	286.0 gl	-0.17%		268.0 gl	
OAE-BA	6 oz	74 oz	73 oz	-1.10%			
OMRLI-PR	31 oz	337 oz	336 oz	-0.18%			

Actual	Num Batches: 1							
Load	42845 lb	Design W/C: 0.388	Water/Cement: 0.402	A	Design	312.4 gl	Actual	323.1 gl To Add: 0.0 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	1.0 gl / CY		
Actual W/C Ratio: 0.402	Actual Water: 323 gl	Batched Cement: 6700 lb	Allowable Water: 0 lb		Wat Cem Contact:	17:29:07		