

MCCOIG MATERIALS
23055 Groesbeck Hwy. Warren, MI 48089
PHONE: (586) 775-7200

1 - White (Office)
2 - Yellow (Customer)
3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368 MI				SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS				TICKET CODE: 14138319 DATE: 07/14/20	
DRIVER INSTRUCTION: SHERWOOD SOUTH OFF 7 MILE / WEST OF VAN DYKE --- 5 INCH SLUMP ---							MAP PAGE: DT4201E6	TIME: 8:32	
PO. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	1407	DARRIN SHAFFER	4902	33.01	11.00	5.00 in	6.50	14	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P1-SM		11.00	yd	MDOT P1 S35 MR					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.				
GGBFS:	CMGS-LA	LAFARGE NORTH AMERICA GGBF	S. CHICAGO	M-24					
FLY ASH:				COMPANY REPRESENTATIVE (signature)					
COARSE AGG:	L6AA-PIN	6AAL PORT INLAND	71-003	X <i>Kelany D. Dombrowski</i>					
INTERM AGG:	2NS-SMR	2NS - SPRING MILL RECLAMATIO	47-003						
FINE AGG:				COLLECTED (circle one)					
DRIVERS COMMENTS:				CHECK CASH CREDIT					
				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X			
						CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
4902	DASHAFER	user	14138319	14138319	8:32	7/14/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
11.00 yd	P1-SM				D	137631

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1780 lb	19580 lb	19580 lb	0.00%			
2NS-SMR	1350 lb	15518 lb	15460 lb	-0.38%	4.50% M	80 gl	
CMT1-LAA	342 lb	3762 lb	3745 lb	-0.45%			
CMGS-LA	184 lb	2024 lb	2020 lb	-0.20%			
WAT1	28.4 gl	204.8 gl	205.0 gl	0.09%		205.0 gl	
0AE-BA	5.26 oz	109.93 oz	109.50 oz	-0.39%			
0MR1-PR	31.56 oz	347.16 oz	348.00 oz	0.24%			

Actual	Num Batches: 1						
Load	42544 lb	Design W/C: 0.451	Water/Cement: 0.452 T	Design	312.4 gl	Actual	284.8 gl To Add: 27.6 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-2.5 gl / yd	

MCCOIG MATERIALS
23055 Groesbeck Hwy. Warren, MI 48089
PHONE: (586) 775-7200

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368 MI				SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS				TICKET CODE: 14138338 DATE: 07/14/20	
DRIVER INSTRUCTION: CONANT SOUTH OFF DAVISON / WEST ON CARPENTER / WEST OF MOUND --- 5 INCH SLUMP ---						MAP PAGE: DT4273C2		TIME: 10:37	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	1407	TODD CLARK	4813	33.01	22.00	5.00 in	6.50	14	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P1-SM		11.00	yd	MDOT P1 S35 MR					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA		ALPENA	MDOT PLANT NO.	GRADE OF CONC.			
GGGFS:	CMGS-LA	LAFARGE NORTH AMERICA GGBF		S. CHICAGO	M-24				
FLY ASH:									
COARSE AGG:	L6AA-PIN	6AAL PORT INLAND		71-003	COMPANY REPRESENTATIVE (signature)		COLLECTED (circle one)		
INTERM AGG:									
FINE AGG:	2NS-SMR	2NS - SPRING MILL RECLAMATIO		47-003			CHECK CASH CREDIT		
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:				
						X CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time Date
4813	TOCLARK	user	14138338	14138338	10:37 7/14/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq Load ID
11.00 yd	P1-SM				D 137650

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1780 lb	19580 lb	19560 lb	-0.10%			
2NS-SMR	1350 lb	15518 lb	15460 lb	-0.38%	4.50% M	80 gl	
CMT1-LAA	342 lb	3762 lb	3755 lb	-0.19%			
CMGS-LA	184 lb	2024 lb	2015 lb	-0.44%			
WAT1	28.4 gl	204.8 gl	205.0 gl	0.09%		205.0 gl	
OAE-BA	5.26 oz	109.93 oz	109.50 oz	-0.39%			
OMRLI-PR	31.56 oz	347.16 oz	348.00 oz	0.24%			

Actual Load	42529 lb	Design W/C:	0.451	Water/Cement:	0.452 T	Design	312.4 gl	Actual	284.8 gl	To Add:	27.6 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-2.5 gl / yd				

MCCOIG MATERIALS
23055 Groesbeck Hwy. Warren, MI 48089
PHONE: (586) 775-7200

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368 MI	SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS	TICKET CODE: 14138355 DATE: 07/14/20
---	---	--

DRIVER INSTRUCTION: CONANT SOUTH OFF DAVISON / WEST ON CARPENTER / WEST OF MOUND --- 5 INCH SLUMP ---	MAP PAGE: DT4273B3	TIME: 12:46
--	----------------------------------	---------------------------

P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:
	1407	DARRIN SHAFFER	4902	33.01	33.00	5.00 in	6.50	14

ITEM NAME:	QUANTITY:	UOM:	DESCRIPTION:	UNIT PRICE:	EXTENDED:
P1-SM	11.00	yd	MDOT P1 S35 MR		

MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.

CEMENT: GGBFS: FLY ASH:	CMT1-LAA CMGS-LA	CEMENT T1 LAFARGE ALPENA LAFARGE NORTH AMERICA GGBF	ALPENA S. CHICAGO	MDOT PLANT NO. M-24	GRADE OF CONC.
COARSE AGG: INTERM AGG: FINE AGG:	L6AA-PIN 2NS-SMR	6AAL PORT INLAND 2NS - SPRING MILL RECLAMATIO	71-003 47-003	COMPANY REPRESENTATIVE (signature) <i>Kelany Tomaskowski</i>	
				COLLECTED (circle one) CHECK CASH CREDIT	

DRIVERS COMMENTS:

						Customer Requested Ticket Before Discharge Completed ☐
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket. X CUSTOMER SIGNATURE
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	

SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.

UNLOAD PROMPTLY: Excess time will be charged to the buyer.

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time Date
4902	DASHAFER	user	14138355	14138355	12:46 7/14/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq Load ID
11.00 yd	P1-SM				D 137667

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1780 lb	19580 lb	19620 lb	0.20%			
2NS-SMR	1350 lb	15518 lb	15460 lb	-0.38%	4.50% M	80 gl	
CMT1-LAA	342 lb	3762 lb	3745 lb	-0.45%			
CMGS-LA	184 lb	2024 lb	2020 lb	-0.20%			
WAT1	28.4 gl	204.8 gl	206.0 gl	0.58%		206.0 gl	
OAE-BA	5.26 oz	109.93 oz	110.00 oz	0.06%			
OMRLI-PR	31.56 oz	347.16 oz	348.00 oz	0.24%			

Actual	Num Batches: 1						
Load	42593 lb	Design W/C: 0.451	Water/Cement: 0.452 T	Design	312.4 gl	Actual	285.8 gl To Add: 26.6 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-2.5 gl / yd

MCCOIG MATERIALS
23055 Groesbeck Hwy. Warren, MI 48089
PHONE: (586) 775-7200

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368 MI				SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS				TICKET CODE: 14138360 DATE: 07/14/20	
DRIVER INSTRUCTION: CONANT SOUTH OFF DAVISON / WEST ON CARPENTER / WEST OF MOUND --- 5 INCH SLUMP ---						MAP PAGE: DT4273B3		TIME: 14:11	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	1407	MICHAEL VINEY	4810	44.00	44.00	5.00 in	6.50	14	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P1-SM		11.00	yd	MDOT P1 S35 MR					
<i>Twightt</i>									
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA		ALPENA	MDOT PLANT NO.	GRADE OF CONC.			
GGBFS:	CMGS-LA	LAFARGE NORTH AMERICA GGBF		S. CHICAGO	M-24				
FLY ASH:					COMPANY REPRESENTATIVE (signature)		COLLECTED (circle one) CHECK CASH CREDIT		
COARSE AGG:	L6AA-PIN	6AAL PORT INLAND		71-003	<i>Kelsey Tomaszewski</i>				
INTERM AGG:									
FINE AGG:	2NS-SMR	2NS - SPRING MILL RECLAMATIO		47-003					
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:				
						X			
						CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp	Ticket	Num	Ticket ID	Time	Date
4810	MIVINEYARI	user	14138360			14138360	14:11	7/14/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID		
11.00 yd	P1-SM				D	137672		

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1780 lb	19580 lb	19540 lb	-0.20%			
2NS-SMR	1350 lb	15518 lb	15500 lb	-0.12%	4.50% M	80 gl	
CMT1-LAA	342 lb	3762 lb	3745 lb	-0.45%			
CMGS-LA	184 lb	2024 lb	2015 lb	-0.44%			
WAT1	28.4 gl	204.8 gl	206.0 gl	0.58%		206.0 gl	
OAE-BA	5.26 oz	109.93 oz	110.50 oz	0.51%			
OMRLI-PR	31.56 oz	347.16 oz	344.00 oz	-0.91%			

Actual	Num Batches: 1							
Load	42547 lb	Design W/C: 0.451	Water/Cement: 0.453	T	Design	312.4 gl	Actual	286.0 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	-2.5 gl / yd	To Add:	26.4 gl