

MCCOIG MATERIALS
1441 Springwells Ct. Detroit, MI 48209
PHONE: (734) 357-2124

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368				SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS <i>#1</i> <i>EB N. GRAND BLVD</i> <i>SIDE WALK</i> 				TICKET CODE: 2204001 DATE: 07/21/20	
DRIVER INSTRUCTION: ON W GRAND BLVD BTW GRAND RIVER AND LINWOOD **** NO CITY SLIP!!!!						MAP PAGE: DT4344D2		TIME: 7:28	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	203	ROD HAZELY	3711	33.01	11.00	5.00 in	6.00	2	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
PI-DETM		11.00	yd	CITY OF DETROIT PI MR					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:		CMT1-CRHM	CEMENT T1 CRH - MISSISSAUGA		Detroit		MDOT PLANT NO.	GRADE OF CONC.	
GGGFS:									
FLY ASH:									
COARSE AGG:		L6AA-PIN	6AA - PORT INLAND		71-003		COMPANY REPRESENTATIVE (signature)		COLLECTED (circle one)
INTERM AGG:							<i>X Joseph Yahi</i>		CHECK CASH CREDIT
FINE AGG:		2NS-WLB	2NS - WATERLAND BURMEISTER B		81-093				
DRIVERS COMMENTS:						Customer Requested Ticket Before Discharge Completed ☐			
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:				
						X			
						CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck 3711	Driver ROHAZELY	User user	Disp Ticket Num 2204001	Ticket ID 2204001	Time 7:28	Date 7/21/20
Load Size 11.00 yd	Mix Code PI-DETM	Returned	Qty	Mix Age	Seq 2W	Load ID 225705

Material Batch:	Design Qty	SSD Start:	Adj.T End:	Required	Batched Time (hh:mm:ss):	% Var	%Moisture	Actual Wat	Trim
L6AA-PIN	1810 lb	1810		19910 lb	19880 lb	-0.15%			
2NS-WLB	1230 lb	1230		14037 lb	14000 lb	-0.27%	3.75%	61 gl	
CMT1-CRHM	564.0 lb	564.0		6204.0 lb	6180.0 lb	-0.39%			
WAT1	30.5 gl	30.5		252.2 gl	252.8 gl	0.25%		252.8 gl	-2.0 gl
OAE-BA	5.64 oz	5.64		65.14 oz	65.00 oz	-0.22%			105.00 %
OMRLI-PR	39 oz	39		434 oz	432 oz	-0.53%			

Actual Load	42201 lb	Design W/C:	0.451	Water/Cement:	0.453	A	Design	335.5 gl	Actual	313.5 gl	To Add:	22.0 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load		Trim Water:	-2.0 gl / yd				

- 1 - White (Office)
2 - Yellow (Customer)
3 - Pink (Misc.)

MCCOIG MATERIALS
1441 Springwells Ct. Detroit, MI 48209
PHONE: (734) 357-2124

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368	SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS #2 W. GRAND BLVD EB SIDEWALK	TICKET CODE: 2204009 DATE: 07/21/20
--	--	--

DRIVER INSTRUCTION: ON W GRAND BLVD BTW GRAND RIVER AND LINWOOD **** NO CITY SLIP!!!!	MAP PAGE: DT4344D2	TIME: 8:30
--	-----------------------	---------------

P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:
	203	KYLE CHEESMAN	3716	33.01	22.00	5.00 in	6.00	2
ITEM NAME:	QUANTITY:	UOM:	DESCRIPTION:				UNIT PRICE:	EXTENDED:
P1-DETM	11.00	yd	CITY OF DETROIT P1 MR					

MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.

CEMENT:	CMT1-CRHM	CEMENT T1 CRH - MISSISSAUGA	Detroit	MDOT PLANT NO.	GRADE OF CONC.
GGBFS:					
FLY ASH:					
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	71-003	COMPANY REPRESENTATIVE (signature)	
INTERM AGG:				X Joseph Yahi	
FINE AGG:	2NS-WLB	2NS - WATERLAND BURMEISTER 8	81-093		
DRIVERS COMMENTS:				COLLECTED (circle one)	
				CHECK CASH CREDIT	

Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:
					I've read and agreed to the terms on the back side of this delivery ticket.
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:
					X
CUSTOMER SIGNATURE					

SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.

UNLOAD PROMPTLY: Excess time will be charged to the buyer.

Truck 3716	Driver KYCHEESMAN	User user	Disp Ticket Num 2204009	Ticket ID 2204009	Time 8:30	Date 7/21/20			
Load Size 11.00 yd	Mix Code P1-DETM	Returned	Qty	Mix Age	Seq 2W	Load ID 225713			
Material	Design Qty	SSD	Adj.T	Required	Batched	% Var	%Moisture	Actual Wat	Trim
Batch:	1 ----	Start: 8:30:01	End: 8:31:47	-----	Time (hh:mm:ss): 00 : 01 : 46 ----				
L6AA-PIN	1810 lb	1810		19910 lb	19840 lb	-0.35%			
2NS-WLB	1230 lb	1230		14037 lb	13960 lb	-0.55%	3.75%	60 gl	
CMT1-CRHM	564.0 lb	564.0		6204.0 lb	6180.0 lb	-0.39%			
WAT1	30.5 gl	30.5		252.2 gl	253.6 gl	0.54%		253.6 gl	-2.0 gl
0AE-BA	5.64 oz	5.64		65.14 oz	65.00 oz	-0.22%			105.00 %
0MR1-PR	39 oz	39		434 oz	436 oz	0.40%			
Actual	Num Batches: 1								
Load	42127 lb	Design W/C: 0.451	Water/Cement:	0.453	A	Design	335.5 gl	Actual	314.0 gl To Add: 21.5 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-2.0 gl / yd	Note: Manual feed occurred	

MCCOIG MATERIALS
 1441 Springwells Ct. Detroit, MI 48209
 PHONE: (734) 357-2124

- 1 - White (Office)
- 2 - Yellow (Customer)
- 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368				SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS #3 W. GRAND BLVD EB SIDEWALK 2				TICKET CODE: 2204019 DATE: 07/21/20	
DRIVER INSTRUCTION: ON W GRAND BLVD BTW GRAND RIVER AND LINWOOD **** NO CITY SLIP!!!!						MAP PAGE: DT4344C2		TIME: 9:53	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	203	JOE GOLDING	4837	33.01	33.00	5.00 in	6.00	2	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P1-DETM		11.00	yd	CITY OF DETROIT P1 MR					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:		CMT1-CRHM	CEMENT T1 CRH - MISSISSAUGA		Detroit		MDOT PLANT NO.	GRADE OF CONC.	
GGBFS:									
FLY ASH:									
COARSE AGG:		L6AA-PIN	6AA - PORT INLAND		71-003		COMPANY REPRESENTATIVE (signature) Joseph Yalhi		COLLECTED (circle one)
INTERM AGG:									CHECK CASH CREDIT
FINE AGG:		2NS-WLB	2NS - WATERLAND BURMEISTER B		81-093				
DRIVERS COMMENTS:						Customer Requested Ticket Before Discharge Completed ☐			
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck 4837	Driver JOGOLDING	User user	Disp Ticket Num 2204019	Ticket ID 2204019	Time 9:53	Date 7/21/20
Load Size 11.00 yd	Mix Code P1-DETM	Returned	Qty	Mix Age	Seq 2W	Load ID 225722

Material Batch:	Design Qty	SSD	Adj.T	Required	Batched	% Var	%Moisture	Actual Wat	Trim
L6AA-PIN	1810 lb	1810		19910 lb	19880 lb	-0.15%			
2NS-WLB	1230 lb	1230		14004 lb	13960 lb	-0.31%	3.50%	57 gl	
CMT1-CRHM	564.0 lb	564.0		6204.0 lb	6180.0 lb	-0.39%			
WAT1	30.5 gl	30.5	-23.0	233.3 gl	232.5 gl	-0.34%		232.5 gl	-2.0 gl
OAE-BA	5.64 oz	5.64		65.14 oz	65.00 oz	-0.22%			105.00 %
OMRLI-PR	39 oz	39		434 oz	436 oz	0.40%			

Actual Load	41991 lb	Design W/C:	0.451	Water/Cement:	0.453	A	Design	335.5 gl	Actual	289.0 gl	To Add:	46.5 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	-23.0 gl / Load		Trim Water:	-2.0 gl / yd				