

MCCOIG MATERIALS
1441 Springwells Ct. Detroit, MI 48209
PHONE: (734) 357-2124

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368	SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS <i>#1</i> <i>W. GRAND BLVD</i> 	TICKET CODE: 2204097 DATE: 07/22/20
---	---	---

DRIVER INSTRUCTION: ON W GRAND BLVD BTW GRAND RIVER AND LINWOOD **** NO CITY SLIP!!!	MAP PAGE: DT4344C2	TIME: 7:31
--	----------------------------------	--------------------------

P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:
	226	TIM NESS	3726	33.01	11.00	5.00 in	6.00	2

ITEM NAME:	QUANTITY:	UOM:	DESCRIPTION:	UNIT PRICE:	EXTENDED:
P1-DETM	11.00	yd	CITY OF DETROIT P1 MR		

MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.					
CEMENT:	CMT1-CRHM	CEMENT T1 CRH - MISSISSAUGA	Detroit	MDOT PLANT NO.	GRADE OF CONC.
GGGFS:					
FLY ASH:					
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	71-003	COMPANY REPRESENTATIVE (signature) 	
INTERM AGG:					
FINE AGG:	2NS-WLB	2NS - WATERLAND BURMEISTER 8	81-093		

DRIVERS COMMENTS:						Customer Requested Ticket Before Discharge Completed ☐
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket. X
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	
	8:00					CUSTOMER SIGNATURE

SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.

UNLOAD PROMPTLY: Excess time will be charged to the buyer.

Truck 3726	Driver TINESS	User user	Disp Ticket Num 2204097	Ticket ID 2204097	Time 7:31	Date 7/22/20
Load Size 11.00 yd	Mix Code P1-DETM	Returned	Qty	Mix Age	Seq 2W	Load ID 225801

Material Batch:	Design Qty	SSD Start:	Adj.T End:	Required	Batched Time (hh:mm:ss):	% Var	%Moisture	Actual Wat	Trim
L6AA-PIN	1810 lb	7:31:01	7:32:46	19910 lb	19920 lb	0.05%			
2NS-WLB	1230 lb			14037 lb	13960 lb	-0.55%	3.75%	60 gl	
CMT1-CRHM	564.0 lb	564.0		6204.0 lb	6230.0 lb	0.42%			
WAT1	30.5 gl	30.5		255.0 gl	255.0 gl	0.01%		255.0 gl	-1.8 gl
0AE-BA	5.64 oz	5.64		65.14 oz	65.00 oz	-0.22%			105.00 %
0MRLI-PR	39 oz	39		434 oz	436 oz	0.40%			

Actual Load	42269 lb	Design W/C:	0.451	Water/Cement:	0.449 A	Design	335.5 gl	Actual	315.5 gl	To Add:	20.0 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-1.8 gl / yd	Note: Manual feed occurred			

MCCOIG MATERIALS
1441 Springwells Ct. Detroit, MI 48209
PHONE: (734) 357-2124

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368				SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS <i>#2</i> <i>W. GRAND BLVD</i> 				TICKET CODE: 2204110 DATE: 07/22/20	
DRIVER INSTRUCTION: ON W GRAND BLVD BTW GRAND RIVER AND LINWOOD **** NO CITY SLIP!!!!						MAP PAGE: DT4344C2		TIME: 8:44	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	226	ROBERT ROBINS	4838	33.01	20.00	5.00 in	6.00	2	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P1-DETM		9.00	yd	CITY OF DETROIT P1 MR					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:		CMT1-CRHM	CEMENT T1 CRH - MISSISSAUGA		Detroit		MDOT PLANT NO.	GRADE OF CONC.	
GGFS:									
FLY ASH:									
COARSE AGG:		L6AA-PIN	6AA - PORT INLAND		71-003		COMPANY REPRESENTATIVE (signature)		
INTERM AGG:							COLLECTED (circle one) CHECK CASH CREDIT		
FINE AGG:		2NS-WLB	2NS - WATERLAND BURMEISTER 8		81-093				
DRIVERS COMMENTS:						Customer Requested Ticket Before Discharge Completed ☐			
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X			
						CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck 4838	Driver ROROBINSON	User user	Disp Ticket Num 2204110	Ticket ID 2204110	Time 8:44	Date 7/22/20					
Load Size 9.00 yd	Mix Code P1-DETM	Returned	Qty	Mix Age	Seq 2W	Load ID 225814					
Material Batch:	Design Qty	SSD Start:	Adj.T End:	Required	Batched Time (hh:mm:ss):	% Var : 01 : 28	%Moisture	Actual Wat	Trim		
L6AA-PIN	1810 lb	1810		16290 lb	16280 lb	-0.06%					
2NS-WLB	1230 lb	1230		11457 lb	11360 lb	-0.85%	3.50%	46 gl			
CMT1-CRHM	564.0 lb	564.0		5076.0 lb	5070.0 lb	-0.12%					
WAT1	30.5 gl	30.5	-20.0	194.2 gl	194.8 gl	0.35%		194.8 gl	-1.5 gl		
OAE-BA	5.64 oz	5.64		53.30 oz	53.00 oz	-0.56%			105.00 %		
OMRLI-PR	39 oz	39		355 oz	352 oz	-0.93%					
Actual	Num Batches: 1										
Load	34361 lb	Design W/C: 0.451	Water/Cement:	0.452	A	Design	274.5 gl	Actual	240.9 gl	To Add:	33.6 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	-20.0	gl / Load	Trim Water:	-1.5	gl / yd		

MCCOIG MATERIALS
1441 Springwells Ct. Detroit, MI 48209

PHONE: (734) 357-2124

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368				SHIP TO: 049792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS #3 W-GRAND BLVD 				TICKET CODE: 2204119 DATE: 07/22/20	
DRIVER INSTRUCTION: ON W GRAND BLVD BTW GRAND RIVER AND LINWOOD **** NO CITY SLIP!!!							MAP PAGE: DT4344C2	TIME: 10:03	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	226	RANDY REGISTER	4836	33.01	27.50	5.00 in	6.00	2	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P1-DETM		7.50	yd	CITY OF DETROIT P1 MR					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-CRHM	CEMENT T1 CRH - MISSISSAUGA		Detroit	MDOT PLANT NO.	GRADE OF CONC.			
GGGFS:									
FLY ASH:									
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND		71-003	COMPANY REPRESENTATIVE (signature) 				
INTERM AGG:									
FINE AGG:	2NS-WLB	2NS - WATERLAND BURMEISTER 8		81-093	COLLECTED (circle one) CHECK CASH CREDIT				
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

Truck 4836	Driver RAREGISTER	User user	Disp Ticket Num 2204119	Ticket ID 2204119	Time 10:03	Date 7/22/20
Load Size 7.50 yd	Mix Code P1-DETM	Returned	Qty	Mix Age	Seq 2W	Load ID 225823

Material Batch:	Design Qty	SSD Start	Adj.T End	Required	Batched	% Var	%Moisture	Actual Wat	Trim
L6AA-PIN	1810 lb	1810		13575 lb	13520 lb	-0.41%			
2NS-WLB	1230 lb	1230		9594 lb	9520 lb	-0.77%	4.00%	44 gl	
CMT1-CRHM	564.0 lb	564.0		4230.0 lb	4210.0 lb	-0.47%			
WAT1	30.5 gl	30.5		169.2 gl	169.9 gl	0.43%		169.9 gl	-2.0 gl
0AE-BA	5.64 oz	5.64		44.42 oz	44.00 oz	-0.93%			105.00 %
0MR1-PR	39 oz	39		296 oz	296 oz	-0.03%			

Actual Load	28689 lb	Design W/C:	0.451	Water/Cement:	0.453	A	Design	228.8 gl	Actual	213.8 gl	To Add:	15.0 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0	gl / Load	Trim Water:	-2.0	gl /	yd		