

MCCOIG MATERIALS
1441 Springwells Ct. Detroit, MI 48209
PHONE: (734) 357-2124

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018 <i>#1 FOREST ST. STRUCTURE 405.</i>				TICKET CODE: 2204853 DATE: 08/01/20	
DRIVER INSTRUCTION: FORREST AVE & TRUMBULL, DETROIT SOUTH OF WARREN, EAST OF ROSA PARKS CITY SLIP!!!							MAP PAGE:	TIME: 10:22	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	102	CHARLES CRUTCH	3718	18.01	6.00	5.00 in	5.50	2	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM SAT		6.00 6.00	yd ea	MDOT P-NC W/ MR WD/NCA SATURDAY CHARGES					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: CMT1-CRHM CEMENT T1 CRH - MISSISSAUGA GGBFS: FLY ASH:				MDOT PLANT NO. GRADE OF CONC.		COLLECTED (circle one) CHECK CASH CREDIT			
COARSE AGG: L6AA-PIN 6AA - PORT INLAND INTERM AGG:				71-003 COMPANY REPRESENTATIVE (signature)					
FINE AGG: 2NS-WLB 2NS - WATERLAND BURMEISTER B DRIVERS COMMENTS:				81-093 <i>Joseph Yahi</i>					
INITIAL SLUMP: WATER ADDED: REQUESTED BY: FINAL SLUMP: TESTED AIR: REVOLUTIONS:						I've read and agreed to the terms on the back side of this delivery ticket. X CUSTOMER SIGNATURE			
LEAVE PLANT: ARRIVE AT JOB: START POUR: FINISH POUR: LEAVE JOB: ARRIVE PLANT:									
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

Truck 3718	Driver CHCRUTCHFIEL	User user	Disp Ticket Num 2204853	Ticket ID 2204853	Time 10:22	Date 8/1/20
Load Size 6.00 yd	Mix Code P-NCOM	Returned	Qty	Mix Age	Seq 2W	Load ID 226560

Material Batch:	Design Qty	SSD Start	Adj.T End	Required	Batched	% Var	%Moisture	Actual Wat	Trim
	1 ----	10:22:44	10:25:39		Time (hh:mm:ss):	00 : 02	: 55 ----		
L6AA-PIN	1780 lb	1780		10680 lb	10640 lb	-0.37%			
2NS-WLB	1180 lb	1180		7275 lb	7280 lb	0.07%	2.75%	23 gl	
CMT1-CRHM	658.0 lb	658.0		3948.0 lb	3930.0 lb	-0.46%			
WAT1	31.6 gl	31.6		163.0 gl	162.7 gl	-0.14%		162.7 gl	-5 gl
OAE-BA	6.58 oz	6.58		55.27 oz	55.00 oz	-0.49%			140.00 %
OMRLI-PR	33 oz	33		197 oz	196 oz	-0.71%			

Actual Load	23224 lb	Design W/C:	0.401	Water/Cement:	0.403	A	Design	189.6 gl	Actual	186.1 gl	To Add:	3.5 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0	gl / Load	Trim Water:	-0.5	gl /	yd		

MCCOIG MATERIALS
1441 Springwells Ct. Detroit, MI 48209
PHONE: (734) 357-2124

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018 <i>#2 FORREST STRUCTURE 105</i>				TICKET CODE: 2204866 DATE: 08/01/20	
DRIVER INSTRUCTION: FORREST AVE & TRUMBULL, DETROIT SOUTH OF WARREN, EAST OF ROSA PARKS CITY SLIP!!!							MAP PAGE: DT4345A3	TIME: 11:28	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	102	KYLE CHEESMAN	4822	18.01	12.00	5.00 in	5.50	2	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM SAT		6.00 6.00	yd ea	MDOT P-NC W/ MR WD/NCA SATURDAY CHARGES					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: CMT1-CRHM GGBFS: FLY ASH:				CEMENT T1 CRH - MISSISSAUGA Detroit		MDOT PLANT NO. GRADE OF CONC.		COLLECTED (circle one) CHECK CASH CREDIT	
COARSE AGG: L6AA-PIN INTERM AGG:				6AA - PORT INLAND 71-003		COMPANY REPRESENTATIVE (signature) <i>X Joseph Yabhi</i>			
FINE AGG: 2NS-WLB DRIVERS COMMENTS:				2NS - WATERLAND BURMEISTER B 81-093		Customer Requested Ticket Before Discharge Completed ☐			
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X CUSTOMER SIGNATURE			

SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.

UNLOAD PROMPTLY: Excess time will be charged to the buyer.

Truck 4822	Driver KYCHEESMAN	User user	Disp Ticket Num 2204866	Ticket ID 2204866	Time 11:28	Date 8/1/20			
Load Size 6.00 yd	Mix Code P-NC0M	Returned	Qty	Mix Age	Seq 2W	Load ID 226573			
Material Batch:	Design Qty	SSD Start:	Adj.T End:	Required	Batched Time (hh:mm:ss)	% Var : 00 : 03 : 41	%Moisture	Actual Wat	Trim
L6AA-PIN	1780 lb	11:28:15	11:31:56	10680 lb	10680 lb		*		
2NS-WLB	1180 lb			7275 lb	7240 lb	-0.48%	2.75%	23 gl	
CMT1-CRHM	658.0 lb	658.0		3948.0 lb	3930.0 lb	-0.46%			
WAT1	31.6 gl	31.6		163.0 gl	162.5 gl	-0.29%		162.5 gl	-5 gl
0AE-BA	6.58 oz	6.58		55.27 oz	55.00 oz	-0.49%			140.00 %
0MRLI-PR	33 oz	33		197 oz	196 oz	-0.71%			
Actual	Num Batches: 1								
Load	23222 lb	Design W/C: 0.401	Water/Cement: 0.403	A	Design	189.6 gl	Actual	185.7 gl	To Add: 3.9 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl	/ Load	Trim Water: -0.5 gl	/ yd			

MCCOIG MATERIALS
1441 Springwells Ct. Detroit, MI 48209
PHONE: (734) 357-2124

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018				TICKET CODE: 2204870 DATE: 08/01/20	
DRIVER INSTRUCTION: FORREST AVE & TRUMBULL, DETROIT SOUTH OF WARREN, EAST OF ROSA PARKS CITY SLIP!!!							MAP PAGE: DT4345A3	TIME: 12:29	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	102	CLEVELAND ANDE	3703	22.00	22.00	5.00 in	5.50	2	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM SAT		10.00 10.00	yd ea	MDOT P-NC W/ MR WO/NCA SATURDAY CHARGES					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GGBFS: FLY ASH:	CMT1-CRHM	CEMENT T1 CRH - MISSISSAUGA		Detroit	MDOT PLANT NO.	GRADE OF CONC.			
COARSE AGG: INTERM AGG: FINE AGG:	L6AA-PIN 2NS-WLB	6AA - PORT INLAND 2NS - WATERLAND BURMEISTER 8		71-003 81-093	COMPANY REPRESENTATIVE (signature) <i>X Joseph Yahi</i>			COLLECTED (circle one) CHECK CASH CREDIT	
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck 3703	Driver CLANDERSON	User user	Disp Ticket Num 2204870	Ticket ID 2204870	Time 12:29	Date 8/1/20
Load Size 10.00 yd	Mix Code P-NCOM	Returned	Qty	Mix Age	Seq 3D	Load ID 226577

Material Batch:	Design Qty	SSD	Adj.T	Required	Batched	% Var	%Moisture	Actual Wat	Trim
	1	Start: 12:29:49	End: 12:38:19		Time (hh:mm:ss): 00 : 08				
L6AA-PIN	1780 lb	1780		17800 lb	17800 lb				
2NS-WLB	1180 lb	1180		12125 lb	12080 lb	-0.37%	2.75%	39 gl	
CMT1-CRHM	658.0 lb	658.0		6580.0 lb	6560.0 lb	-0.30%			
WAT1	31.6 gl	31.6		271.6 gl	271.5 gl	-0.02%		271.5 gl	-5 gl
0AE-BA	6.58 oz	6.58		92.12 oz	92.00 oz	-0.13%			140.00 %
0MRLI-PR	33 oz	33		329 oz	332 oz	0.91%			

Actual	Num Batches: 1		
Load 38733 lb	Design W/C: 0.401	Water/Cement: 0.402	A
Slump: 5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load	Design 316.0 gl
			Actual 310.3 gl To Add: 5.7 gl
			Trim Water: -0.5 gl / yd