

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018 #1 @ 1100 CARPENTER STRUCT ADJ.				TICKET CODE: 1232384 DATE: 08/07/20	
DRIVER INSTRUCTION: ON CARPENTER JUST WEST OF CONANT						MAP PAGE: TIME: 10:40			
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	118	SIXTO CARRION	4816	24.01	6.00	5.00 in	5.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM COOL		6.00 6.00	yd /yd	MDOT P-NC W/ MR WO/NCA TEMPERATURE CONTROLLED					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT: GGBFS: FLY ASH:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.				
				M-11					
COARSE AGG: INTERM AGG: FINE AGG:	L6AA-PIN 2NS-SMR	6AA - PORT INLAND 2NS SPRING MILL RECLAMATION	71-003 47-003	COMPANY REPRESENTATIVE (signature)		COLLECTED (circle one)			
				X <i>Kelany D. [Signature]</i>		CHECK CASH CREDIT			
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket. X CUSTOMER SIGNATURE			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:				
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
4816	SICARRION	user1	1232384	1232384	10:40	8/7/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
6.00 yd	P-NCOM				W2	320277

Material	Design Qty	Required	Batched	% Var	Moisture	Actual	Wat
L6AA-PIN	1780 lb	10680 lb	10680 lb	0.00%			
CMT1-LAA	658 lb	3948 lb	3950 lb	0.05%			
2NS-SMR	1180 lb	7292 lb	7280 lb	-0.17%	3.00% M	25 gl	
WAT1	31.6 gl	.0 gl	.0 gl				
OAE-BA	7 oz	71 oz	71 oz	-0.09%			
OMRLI-PR	33 oz	197 oz	196 oz	-0.71%			
HWATER	100 % #	164 gl	164 gl	-0.09%		164 gl	

Actual	Num Batches: 1						
Load	23295 lb	Design W/C: 0.401	Water/Cement: 0.401	T	Design	189.6 gl	Actual 189.4 gl To Add: 0.2 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	0.0 gl / yd	

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018 #2 CARPENTER STRUCT ADJ.				TICKET CODE: 1232397 DATE: 08/07/20	
DRIVER INSTRUCTION: ON CARPENTER JUST WEST OF CONANT						MAP PAGE: DT4273C2		TIME: 11:51	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	118	JOE CHAPP	2442	24.01	12.00	5.00 in	5.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM COOL		6.00 6.00	yd /yd	MDOT P-NC W/ MR WO/NCA TEMPERATURE CONTROLLED					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONG.				
GGBFS:				M-11					
FLY ASH:				COMPANY REPRESENTATIVE (signature) Kelsey Tomaszewski COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT					
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	71-003						
INTERM AGG:									
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003						
DRIVERS COMMENTS: 5 C FINE				Customer Requested Ticket Before Discharge Completed ☐ I've read and agreed to the terms on the back side of this delivery ticket. FWC					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	CUSTOMER SIGNATURE Kelsey Tomaszewski			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:				

SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.
UNLOAD PROMPTLY: Excess time will be charged to the buyer.

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time Date
2442	JOCHAPP	user1	1232397	1232397	11:51 8/7/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq Load ID
6.00 yd	P-NCOM				W2 320290

Material	Design Qty	Required	Batched	% Var%	Moisture	Actual	Wat
L6AA-PIN	1780 lb	10680 lb	10680 lb	0.00%			
CMT1-LAA	658 lb	3948 lb	3960 lb	0.30%			
2NS-SMR	1180 lb	7292 lb	7260 lb	-0.44%	3.00% M	25 gl	
WAT1	31.6 gl	0 gl	0 gl				
OAE-BA	7 oz	71 oz	71 oz	-0.09%			
OMRLI-PR	33 oz	197 oz	192 oz	-2.74%			
HWATER	100 % #	164 gl	164 gl	-0.09%		164 gl	

Actual Load		23285 lb		Design W/C: 0.401		Water/Cement: 0.400 T		Design 189.6 gl		Actual 189.3 gl		To Add: 0.3 gl	
Slump:		5.00 in		Water in Truck:		0.0 gl		Adjust Water:		0.0 gl / Load		Trim Water: 0.0 gl / yd	

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018 <i>#3 @ 1335</i> <i>CARPENTER ST.</i> <i>STRA- 105.</i>				TICKET CODE: 1232405 DATE: 08/07/20	
DRIVER INSTRUCTION: ON CARPENTER JUST WEST OF CONANT						MAP PAGE: DT4273C2		TIME: 13:05	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	118	DARYLL MACDONA	2434	24.01	18.00	5.00 in	5.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM COOL		6.00 6.00	yd /yd	MDOT P-NC W/ MR WD/NCA TEMPERATURE CONTROLLED					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA		ALPENA	MDOT PLANT NO.	GRADE OF CONC.			
GGBFS:					M-11				
FLY ASH:					COMPANY REPRESENTATIVE (signature) <i>Kelany J. [Signature]</i> X				
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND		71-003					
INTERM AGG:									
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003	COLLECTED (circle one) CHECK CASH CREDIT				
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket. X CUSTOMER SIGNATURE			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:				
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time Date
2434	DAMACDONAI	user1	1232405	1232405	13:05 8/7/20

Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
6.00 yd	P-NCOM				W2	320299

Material	Design Qty	Required	Batched	% Var	Moisture	Actual	Wat
L6AA-PIN	1780 lb	10680 lb	10700 lb	0.19%			
CMT1-LAA	658 lb	3948 lb	3930 lb	-0.46%			
2NS-SMR	1180 lb	7292 lb	7320 lb	0.38%	3.00% M	26 gl	
WAT1	31.6 gl	.0 gl	.0 gl				
OAE-BA	7 oz	71 oz	71 oz	-0.09%			
OMRLI-PR	33 oz	197 oz	200 oz	1.32%			
HWATER	100 % #	164 gl	164 gl	-0.09%		164 gl	

Actual	Num Batches: 1							
Load	23336 lb	Design W/C: 0.401	Water/Cement: 0.403	T	Design	189.6 gl	Actual	189.5 gl To Add: 0.1 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	0.0 gl / yd		

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018 #4 @ 1525 CARPENTER STRUCT. ADJ				TICKET CODE: 1232434 DATE: 08/07/20	
DRIVER INSTRUCTION: ON CARPENTER JUST WEST OF CONANT							MAP PAGE: DT4273B3	TIME: 15:02	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	118	WILLIAM EVANS	6626	25.00	25.00	5.00 in	5.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM COOL		7.00 6.00	yd /yd	MDOT P-NC W/ MR WD/NCA TEMPERATURE CONTROLLED					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.				
GGBFS:				M-11					
FLY ASH:				COMPANY REPRESENTATIVE (signature)					
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	71-003	COLLECTED (circle one) X CHECK CASH CREDIT					
INTERM AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003						
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket. X CUSTOMER SIGNATURE			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:				
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
6626	WIEVANS	user1	1232434	1232434	15:02	8/7/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
7.00 yd	P-NCOM				W2	320328

Material	Design Qty	Required	Batched	% Var%	Moisture	Actual	Wat
L6AA-PIN	1780 lb	12460 lb	12460 lb	0.00%			
CMT1-LAA	658 lb	4606 lb	4630 lb	> 0.52%			
2NS-SMR	1180 lb	8508 lb	8500 lb	-0.09%	3.00% M	30 gl	
WAT1	31.6 gl	.0 gl	.0 gl				
OAE-BA	7 oz	83 oz	83 oz	0.11%			
OMRLI-PR	33 oz	230 oz	224 oz	-2.74%			
HWATER	100 % #	192 gl	192 gl	0.26%		192 gl	

Actual	Num Batches: 1						
Load	27211 lb	Design W/C: 0.401	Water/Cement: 0.400	A	Design	221.2 gl	Actual 221.7 gl To Add: 0.0 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	0.0 gl / yd	