

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368	SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS #1 @ 1108 TIREMAN SIDEWALKS & CORBS	TICKET CODE: 1232551 DATE: 08/10/20
--	---	--

DRIVER INSTRUCTION: ON TIREMAN AT ARTERSIAN WEST OF SOUTHFIELD RD ----- CITY SLIP -----	MAP PAGE: DT4342A3	TIME: 10:35
---	---------------------------	--------------------

P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:
	130	MIKE CAPLING	4831	33.01	11.00	5.00 in	6.00	1

ITEM NAME:	QUANTITY:	UOM:	DESCRIPTION:	UNIT PRICE:	EXTENDED:
P1-DETM	11.00	yd	CITY OF DETROIT P1 MR		

MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.

CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.
GGGFS:				M-11	
FLY ASH:					
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	71-003	COMPANY REPRESENTATIVE (signature) <i>Kelley J. [Signature]</i>	
INTERM AGG:					
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003	COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT	

DRIVERS COMMENTS:						Customer Requested Ticket Before Discharge Completed ☐
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket. X CUSTOMER SIGNATURE
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	

SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.

UNLOAD PROMPTLY: Excess time will be charged to the buyer.

Truck	Driver	User	Disp	Ticket Num	Ticket ID	Time	Date
4831	MICAPLING	user1		1232551	1232551	10:35	8/10/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID	
11.00 yd	P1-DETM				W2	320446	

Material	Design Qty	Required	Batched	% Var	Moisture	Actual	Wat
L6AA-PIN	1810 lb	19910 lb	19900 lb	-0.05%			
2NS-SMR	1230 lb	13936 lb	13900 lb	-0.26%	3.00% M	49 gl	
CMT1-LAA	564 lb	6204 lb	6200 lb	-0.06%			
WAT1	30.5 gl	286.9 gl	287.0 gl	0.05%		287.0 gl	
OMRLI-PR	39 oz	434 oz	432 oz	-0.53%			
OAE-BA	6 oz	112 oz	112 oz	0.29%			
HWATER	% #	gl	gl				

Actual	Num Batches: 1							
Load	42429 lb	Design W/C: 0.451	Water/Cement: 0.452	A	Design	335.5 gl	Actual	335.5 gl To Add: 0.0 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	0.0 gl / yd	

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368		SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS		#2 @ 1242 TIREMAN SIDEWALKS & CURBS	TICKET CODE: 1232563 DATE: 08/10/20
--	--	--	--	---	--

DRIVER INSTRUCTION: ON TIREMEN AT ARTERSIAN WEST OF SOUTHFIELD RD ----- CITY SLIP -----	MAP PAGE: DT4342A3	TIME: 11:52
---	---------------------------	--------------------

P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:
	130	BILL SEARS	4812	33.01	22.00	5.00 in	6.00	1

ITEM NAME:	QUANTITY:	UOM:	DESCRIPTION:	UNIT PRICE:	EXTENDED:
P1-DETM	11.00	yd	CITY OF DETROIT P1 MR		

MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.

CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.
GGGFS:				M-11	
FLY ASH:					
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	71-003	COMPANY REPRESENTATIVE (signature) <i>Kelley Thompson</i>	
INTERM AGG:					
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003	X	COLLECTED (circle one) CHECK CASH CREDIT

DRIVERS COMMENTS:

						Customer Requested Ticket Before Discharge Completed ☐
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	
						X
						CUSTOMER SIGNATURE

SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.

UNLOAD PROMPTLY: Excess time will be charged to the buyer.

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time Date
4812	BISEARS	user1	1232563	1232563	11:52 8/10/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq Load ID
11.00 yd	P1-DETM			W2	320458

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1810 lb	19910 lb	19900 lb	-0.05%			
2NS-SMR	1230 lb	13868 lb	13820 lb	-0.35%	2.50% M	40 gl	
CMT1-LAA	564 lb	6204 lb	6210 lb	0.10%			
WAT1	30.5 gl	295.0 gl	295.0 gl	0.01%		295.0 gl	
OMRLI-PR	39 oz	434 oz	436 oz	0.40%			
OAE-BA	6 oz	112 oz	112 oz	-0.15%			
HWATER	% #	gl	gl				

Actual	Num Batches: 1								
Load	42426 lb	Design W/C: 0.451	Water/Cement: 0.451	T	Design	335.5 gl	Actual	335.4 gl	To Add: 0.1 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	0.0 gl / yd		

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 2318 WESTSIDE CONCRETE CO. P.O. BOX 183368				SHIP TO: V49792 PW-7018 MAJOR ROADS VARIOUS LOCATIONS <i># 3 @ 1400</i> <i>TIREMAN</i> <i>SIDEWALKS & CURBS</i>				TICKET CODE: 1232582 DATE: 08/10/20	
DRIVER INSTRUCTION: ON TIREMAN AT ARTERSIAN WEST OF SOUTHFIELD RD ----- CITY SLIP -----							MAP PAGE: DT4342A3	TIME: 13:23	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
	130	WILLIAM EVANS	2900	33.01	33.00	5.00 in	6.00	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P1-DETM		11.00	yd	CITY OF DETROIT P1 MR					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA		ALPENA	MDOT PLANT NO.	GRADE OF CONC.			
GGGFS:					M-11				
FLY ASH:									
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND		71-003	COMPANY REPRESENTATIVE (signature) <i>Kelany J. [Signature]</i>				
INTERM AGG:									
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003	COLLECTED (circle one) CHECK CASH CREDIT				
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket. X CUSTOMER SIGNATURE			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:				
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp	Ticket Num	Ticket ID	Time	Date
2900	WIEVANS	user1		1232582	1232582	13:23	8/10/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID	
11.00 yd	P1-DETM				W2	320477	

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1810 lb	19910 lb	19900 lb	-0.05%			
2NS-SMR	1230 lb	13868 lb	13800 lb	-0.49%	2.50% M	40 gl	
CMT1-LAA	564 lb	6204 lb	6180 lb	-0.39%			
WAT1	30.5 gl	281.2 gl	281.0 gl	-0.08%		281.0 gl	
OMRLI-PR	39 oz	434 oz	436 oz	0.40%			
OAE-BA	6 oz	112 oz	112 oz	-0.15%			
HWATER	% #	gl	gl				

Actual	Num Batches: 1							
Load	42259 lb	Design W/C: 0.451	Water/Cement: 0.453	T	Design	335.5 gl	Actual	321.3 gl To Add: 14.2 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	-1.3 gl / yd		