

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018				TICKET CODE: 1232865 DATE: 08/12/20	
DRIVER INSTRUCTION: NORTH WEST CORNER WYOMING AND MCNICHOLS							MAP PAGE: DT4199B7	TIME: 17:09	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	111	JOE CHAPP	2442	28.00	28.00	5.00 in	5.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM		4.00	yd	MDOT P-NC W/ MR WO/NCA					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA		ALPENA	MDOT PLANT NO.	GRADE OF CONC.			
GGBFS:					M-11				
FLY ASH:					COMPANY REPRESENTATIVE (signature)				
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND		71-003	COLLECTED (circle one)				
INTERM AGG:					CHECK CASH CREDIT				
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003					
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time Date
2442	JOCHAPP	user1	1232865	1232865	17:09 8/12/20

Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
4.00 yd	P-NCOM				W2	320762

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1780 lb	7120 lb	7120 lb	0.00%			
CMT1-LAA	658 lb	2632 lb	2640 lb	0.30%			
2NS-SMR	1180 lb	4838 lb	4840 lb	0.04%	2.50% M	14 gl	
WAT1	31.6 gl	68.3 gl	68.0 gl	-0.38%		68.0 gl	
OAE-BA	7 oz	47 oz	47 oz	-0.79%			
OMRLI-PR	33 oz	132 oz	128 oz	-2.74%			
HWATER	% #	gl	gl				

Actual	Num Batches: 1						
Load	15178 lb	Design W/C: 0.401	Water/Cement: 0.400 T	Design	126.4 gl	Actual	82.1 gl To Add: 44.3 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: -42.0 gl / Load	Trim Water:	-0.5 gl / yd		

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018				TICKET CODE: 1232859 DATE: 08/12/20	
DRIVER INSTRUCTION: SOUTHBOUND WYOMING SOUTH OF 7 MILE							MAP PAGE: DT4199B6	TIME: 15:44	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	111	LARRY MOUNT	4815	24.01	24.00	5.00 in	5.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM		6.00	yd	MDOT P-NC W/ MR WO/NCA					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.				
GGGFS:				M-11					
FLY ASH:				COMPANY REPRESENTATIVE (signature)					
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	71-003	COLLECTED (circle one) ☒ X <i>Kelley Thompson</i>					
INTERM AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003						
FINE AGG:				CHECK CASH CREDIT					
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket. X			
5									
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:				
3:57	4:11					CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time Date
4815	LAMOUNT	user1	1232859	1232859	15:44 8/12/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq Load ID
6.00 yd	P-NCOM			W2	320756

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1780 lb	10680 lb	10680 lb	0.00%			
CMT1-LAA	658 lb	3948 lb	3940 lb	-0.20%			
2NS-SMR	1180 lb	7257 lb	7240 lb	-0.23%	2.50% M	21 gl	
WAT1	31.6 gl	168.4 gl	168.0 gl	-0.23%		168.0 gl	
OAE-BA	7 oz	71 oz	71 oz	-0.09%			
OMRLI-PR	33 oz	197 oz	196 oz	-0.71%			
HWATER	% #	gl	gl				

Actual	Num Batches: 1							
Load	23279 lb	Design W/C: 0.401	Water/Cement: 0.402 T	Design	189.6 gl	Actual	189.2 gl	To Add: 0.4 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load	Trim Water:	0.0 gl / yd			

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018				TICKET CODE: 1232841 DATE: 08/12/20	
DRIVER INSTRUCTION: ON WYOMING SOUTHBOUND FROM 8 MILE RD CLOSER TO 7 MILE						MAP PAGE: DT4199B5		TIME: 14:23	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	111	CHRISTOPHER MU	2339	24.01	18.00	5.00 in	5.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM		6.00	yd	MDOT P-NC W/ MR WD/NCA					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA		ALPENA	MDOT PLANT NO.	GRADE OF CONC.			
GGGFS:					M-11				
FLY ASH:					COMPANY REPRESENTATIVE (signature) <i>Kelley Thompson</i> COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT				
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND		71-003					
INTERM AGG:									
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003					
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐				
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket. X CUSTOMER SIGNATURE			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:				
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2339	CHMURFF	user1	1232841	1232841	14:23	8/12/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
6.00 yd	P-NCOM				W2	320738

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1780 lb	10680 lb	10680 lb	0.00%			
CMT1-LAA	658 lb	3948 lb	3990 lb	> 1.06%			
2NS-SMR	1180 lb	7257 lb	7260 lb	0.04%	2.50% M	21 gl	
WAT1	31.6 gl	171.4 gl	171.0 gl	-0.23%		171.0 gl	
OAE-BA	7 oz	71 oz	72 oz	0.61%			
OMRLI-PR	33 oz	197 oz	200 oz	1.32%			
HWATER	% #	gl	gl				

Actual Load	23374 lb	Design W/C:	0.401	Water/Cement:	0.402	A	Design	189.6 gl	Actual	192.2 gl	To Add:	0.0 gl
Slump:	5.00 in	Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load		Trim Water:	0.5 gl / yd				

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018				TICKET CODE: 1232811 DATE: 08/12/20	
DRIVER INSTRUCTION: ON WYOMING SOUTHBOUND FROM 8 MILE RD							MAP PAGE: DT4199B4	TIME: 11:54	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	111	KEN LUCAS	4814	24.01	12.00	5.00 in	5.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM		6.00	yd	MDOT P-NC W/ MR WD/NCA					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.				
GGBFS:				M-11					
FLY ASH:				COMPANY REPRESENTATIVE (signature) <i>Kelley J. Lukowski</i> COLLECTED (circle one) ☒					
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	71-003						
INTERM AGG:									
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003						
				X	CHECK CASH CREDIT				
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X			
						CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
4814	KELUCAS	user1	1232811	1232811	11:54	8/12/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
6.00 yd	P-NCOM				W2	320707

Material	Design Qty	Required	Batched	% Var	Moisture	Actual	Wat
L6AA-PIN	1780 lb	10680 lb	10680 lb	0.00%			
CMT1-LAA	658 lb	3948 lb	3950 lb	0.05%			
2NS-SMR	1180 lb	7257 lb	7260 lb	0.04%	2.50% M	21 gl	
WAT1	31.6 gl	171.4 gl	171.0 gl	-0.23%		171.0 gl	
OAE-BA	7 oz	71 oz	72 oz	0.61%			
OMRLI-PR	33 oz	197 oz	196 oz	-0.71%			
HWATER	% #	gl	gl				

Actual	Num Batches: 1						
Load	23334 lb	Design W/C: 0.401	Water/Cement: 0.406	A	Design	189.6 gl	Actual 192.2 gl To Add: 0.0 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water: 0.0 gl / Load		Trim Water:	0.5 gl / yd	

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018			TICKET CODE: 1232795 DATE: 08/12/20	
DRIVER INSTRUCTION: ON WYOMING SOUTHBOUND FROM 8 MILE RD							MAP PAGE: DT4199B4	TIME: 10:43
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:
016-20	111	ROBERT L ELLIS	2439	24.01	6.00	5.00 in	5.50	1
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:
P-NCOM		6.00	yd	MDOT P-NC W/ MR WD/NCA				
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.								
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA		ALPENA	MDOT PLANT NO.	GRADE OF CONC.		
GGBFS:					M-11			
FLY ASH:					COMPANY REPRESENTATIVE (signature)			
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND		71-003	COLLECTED (circle one) CHECK CASH CREDIT			
INTERM AGG:								
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION		47-003				
DRIVERS COMMENTS:					Customer Requested Ticket Before Discharge Completed ☐			
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.		
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	CUSTOMER SIGNATURE		
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.								

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2439	ROELLIS	user1	1232795	1232795	10:43	8/12/20
Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
6.00 yd	P-NCOM				W2	320691

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1780 lb	10680 lb	10700 lb	0.19%			
CMT1-LAA	658 lb	3948 lb	3950 lb	0.05%			
2NS-SMR	1180 lb	7257 lb	7260 lb	0.04%	2.50% M	21 gl	
WAT1	31.6 gl	168.4 gl	168.0 gl	-0.23%		168.0 gl	
OAE-BA	7 oz	71 oz	71 oz	-0.09%			
OMRLI-PR	33 oz	197 oz	200 oz	1.32%			
HWATER	% #	gl	gl				

Actual	Num Batches: 1						
Load	23329 lb	Design W/C: 0.401	Water/Cement: 0.401 T	Design	189.6 gl	Actual	189.2 gl To Add: 0.4 gl
Slump:	5.00 in	Water in Truck: 0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	0.0 gl / yd	