


MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018				TICKET CODE: 1233500 DATE: 08/22/20	
DRIVER INSTRUCTION: NORTHBOUND SOUTHFIELD SERVICE DR MUST ONLY ENTER NORTH OFF PLYMOUTH						MAP PAGE: TIME: 9:16			
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	101	WILLIE WEST	2403	36.01	9.00	4.00 in	5.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM SAT		9.00 9.00	yd ea	MDOT P-NC W/ MR WO/NCA SATURDAY CHARGES					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.				
GGGFS:				M-11					
FLY ASH:				COMPANY REPRESENTATIVE (signature)  COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT					
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	71-003						
INTERM AGG:									
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003						
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X			
						CUSTOMER SIGNATURE			
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2403	WIWEST	user1	1233500	1233500	9:16	8/22/20

Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
9.00 yd	P-NCOM				W2	321397

Material	Design Qty	Required	Batched	% Var%	Moisture	Actual	Wat
L6AA-PIN	1780 lb	16020 lb	16020 lb	0.00%			
CMT1-LAA	658 lb	5922 lb	5900 lb	-0.37%			
2NS-SMR	1180 lb	10886 lb	10840 lb	-0.42%	2.50% M	32 gl	
WAT1	31.6 gl	243.6 gl	243.0 gl	-0.24%		243.0 gl	
0AE-BA	7 oz	124 oz	123 oz	-1.10%			
OMRLI-PR	33 oz	296 oz	296 oz	-0.03%			
HWATER	% #	gl	gl				

Actual	Num Batches: 1						
Load	34814 lb	Design W/C: 0.401	Water/Cement: 0.402	T	Design	284.4 gl	Actual 274.7 gl To Add: 9.7 gl
Slump:	4.00 in	#	Water in Truck: 0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-1.0 gl / yd

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018				TICKET CODE: 1233521 DATE: 08/22/20	
DRIVER INSTRUCTION: NORTHBOUND SOUTHFIELD SERVICE DR MUST ONLY ENTER NORTH OFF PLYMOUTH							MAP PAGE: DT4270B7	TIME: 11:25	
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:	
016-20	101	SIXTO CARRION	4816	36.01	17.00	4.00 in	5.50	1	
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:	
P-NCOM SAT		8.00 8.00	yd ea	MDOT P-NC W/ MR WO/NCA SATURDAY CHARGES					
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.									
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.				
GGBFS:				M-11					
FLY ASH:				COMPANY REPRESENTATIVE (signature) <i>Kelany J. Thompson</i> COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT					
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	71-003						
INTERM AGG:									
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003						
DRIVERS COMMENTS:				Customer Requested Ticket Before Discharge Completed ☐					
INITIAL SLUMP:	WATER ADDED:	REQUESTED BY:	FINAL SLUMP:	TESTED AIR:	REVOLUTIONS:	I've read and agreed to the terms on the back side of this delivery ticket.			
LEAVE PLANT:	ARRIVE AT JOB:	START POUR:	FINISH POUR:	LEAVE JOB:	ARRIVE PLANT:	X CUSTOMER SIGNATURE			
	10:05								
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.									
UNLOAD PROMPTLY: Excess time will be charged to the buyer.									

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time Date
4816	SICARRION	user1	1233521	1233521	11:25 8/22/20

Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
8.00 yd	P-NCOM				W2	321418

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1780 lb	14240 lb	14240 lb	0.00%			
CMT1-LAA	658 lb	5264 lb	5330 lb	> 1.25%			
2NS-SMR	1180 lb	9676 lb	9640 lb	-0.37%	2.50% M	28 gl	
WAT1	31.6 gl	216.5 gl	217.0 gl	0.22%		217.0 gl	
OAE-BA	7 oz	111 oz	110 oz	-0.49%			
OMRLI-PR	33 oz	263 oz	260 oz	-1.22%			
HWATER	% #	gl	gl				

Actual	Num Batches: 1							
Load	31044 lb	Design W/C: 0.401	Water/Cement: 0.396	T	Design	252.8 gl	Actual	245.2 gl
Slump:	4.00 in	#	Water in Truck: 0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-1.0 gl / yd	To Add: 7.6 gl

MCCOIG MATERIALS
500 E. Seven Mile Rd. Detroit, MI 48203
PHONE: (313) 368-1133

1 - White (Office)
 2 - Yellow (Customer)
 3 - Pink (Misc.)

(A MINIMUM NOTICE OF 48 HOURS IS REQUIRED FOR ALL CONCRETE DELIVERIES)

SOLD TO: 1472 FORT WAYNE CONTRACTING, INC. 300 EAST SEVEN MILE ROAD				SHIP TO: V50063 PW-7018 PW-7018				TICKET CODE: 1233528 DATE: 08/22/20						
DRIVER INSTRUCTION: CORNER OF NORTHBOUND SOUTHFIELD SERVICE DR & SCHOOLCRAFT // MUST BE ON SCHOOLCRAFT						MAP PAGE: DT4270B6		TIME: 13:22						
P.O. NO.:	ORDER NO.:	DRIVER NAME:	TRUCK NO.:	QTY. ORDERED:	QTY. DELIVERED:	DESIGN SLUMP:	DESIGNED AIR:	PLANT NO.:						
016-20	101	JAMAINE KIDD	2438	26.00	26.00	4.00 in	5.50	1						
ITEM NAME:		QUANTITY:	UOM:	DESCRIPTION:			UNIT PRICE:	EXTENDED:						
P-NCOM SAT		9.00 9.00	yd ea	MDOT P-NC W/ MR WO/NCA SATURDAY CHARGES										
MDOT 1155 STATEMENT: I hereby certified this concrete meets MDOT specifications, materials are approved sources, tested, certified to MDOT.														
CEMENT:	CMT1-LAA	CEMENT T1 LAFARGE ALPENA	ALPENA	MDOT PLANT NO.	GRADE OF CONC.									
GGBFS:				M-11										
FLY ASH:				COMPANY REPRESENTATIVE (signature) <i>Kelsey J. [Signature]</i>										
COARSE AGG:	L6AA-PIN	6AA - PORT INLAND	71-003							COLLECTED (circle one) ☒ CHECK ☐ CASH ☐ CREDIT				
INTERM AGG:														
FINE AGG:	2NS-SMR	2NS SPRING MILL RECLAMATION	47-003											
DRIVERS COMMENTS:														
INITIAL SLUMP: WATER ADDED: REQUESTED BY: FINAL SLUMP: TESTED AIR: REVOLUTIONS:						Customer Requested Ticket Before Discharge Completed ☐								
						I've read and agreed to the terms on the back side of this delivery ticket.								
LEAVE PLANT: ARRIVE AT JOB: START POUR: FINISH POUR: LEAVE JOB: ARRIVE PLANT:						X								
						CUSTOMER SIGNATURE								
SAFETY CAUTION: Fresh concrete can cause severe chemical burns to skin and eyes. Keep fresh concrete off skin. When working use rubber work-boots, gloves, protective eyeglasses, clothing and knee-boards. Do not let concrete or other cement products soak into your skin. Wash your skin promptly after contact with fresh concrete with clean water. If fresh concrete gets into your eyes, flush immediately and repeatedly with water and consult a doctor immediately. Keep children away from dry cement powder and all freshly mixed concrete.														
UNLOAD PROMPTLY: Excess time will be charged to the buyer.														

Truck	Driver	User	Disp Ticket Num	Ticket ID	Time	Date
2438	JAKIDD	user1	1233528	1233528	13:22	8/22/20

Load Size	Mix Code	Returned	Qty	Mix Age	Seq	Load ID
9.00 yd	P-NCOM				W2	321425

Material	Design Qty	Required	Batched	% Var	% Moisture	Actual	Wat
L6AA-PIN	1780 lb	16020 lb	16020 lb	0.00%			
CMT1-LAA	658 lb	5922 lb	5900 lb	-0.37%			
2NS-SMR	1180 lb	10886 lb	10900 lb	0.13%	2.50% M	32 gl	
WAT1	31.6 gl	243.6 gl	243.0 gl	-0.24%		243.0 gl	
OAE-BA	7 oz	124 oz	125 oz	0.51%			
OMRLI-PR	33 oz	296 oz	296 oz	-0.03%			
HWATER	% #	gl	gl				

Actual	Num Batches: 1						
Load	34874 lb	Design W/C: 0.401	Water/Cement: 0.402 T	Design	284.4 gl	Actual	274.9 gl To Add: 9.5 gl
Slump:	4.00 in	# Water in Truck:	0.0 gl	Adjust Water:	0.0 gl / Load	Trim Water:	-1.0 gl / yd