#### DTE Energy - Gas Co. **Data Integrity and Technology** One Energy Plaza, 838-GO City of Detroit, MI 48226

May 2, 2017

### Richard Doherty, CED DPW Head Engineer

City Engineering Division, DPW 2 Woodward Ave, Suite 642 Detroit, Michigan 48226-3462


RE: Petition #1446: Request Encroachment into 1214 Griswold. (With Bike Rack)

	Not involved. See Remarks	
	Involved: but asking you to hold action on this petition until further notice.	
	Involved but have no objection to the property change provided that an easement of the full width of the public right-of-way (street, alley or other public place) is reserved.	
	Involved: the nature of our services, and the estimated costs of removing, rerouting or abandonment of such all gas mains and/or services	
DT See Ple at:	EMARKS: E Energy—Gas Company has no involvement, nor objection to Petition #1446 as mentioned above enclosed strip print and attached notice of public hearing, for your use and information.  case abide by Public Act 174, three (3) working days before you dig, dial toll free MISS DIG 1 – 800 – 482 – 7171.  E Energy Gas Leak Emergency Phone Number: 1-800 – 947 – 5000.	
Sin	cerely,	
ISI Qussell & Thornton Drafter		

Data Integrity and Technology

RET/

Enclosure



## Gas GIS Legend **Service Symbols** EndCap LoopedService Section Relief Valve **AbandonedService** Aban. Service pipe NOTE: Service line style is the same as the main it is tied into **Customer Events** Service Event CUTCAP (CCtype, location) **AbandonedGasPipeSymbol** Abandoned Gas Device **End Cap** Section Symbol **Gas Pipe Protection** Casing Shield Sleeve Land

# Bridge DrainCreek ----- Easement LotLine RailRoad RightOfWay ----- Tunnel Water Street Centerline Building Landmark **BrownField** Known Sites of Environmental

Contamination DEQ Dec2008

CPAnode		
	Single	
00-	Multiple	
CD D	•	
CP R	ectifier Rectifier	
<b>T</b> 4		
lest	<b>Point</b> DOT	
•	Regular TW	
Troo	er Wire	
Hac		
0	Tracer Wire	
	Valve	
X	Main, Closed	
X	Main, Open	
8	Service, Closed	
⊗	Service, Open	
Regulator Station		
	District	
$\triangleleft$	Secondary	
	Service	
Controllable Fitting		
PCF	Pressure Control Fitting	
SSF	Short Stop	
•	Stopple Fitting	
•	Distribution Tiein	
•	Subtransmission Tiein	
•	Transmission Tiein	
NonControllableFitting		
	Branch	
)	Cap	
	Coupling	
=	Ell	
	Insulated	
<b>A</b>	Reducer	
0	Section	

Tee

Transition

<all other values>

## **Material Type** — CU - Copper — CI - Cast Iron PLA - Plastic — STL - Bare Steel STL - Coated Steel PLA - Plastic, Joint Trench OTR - Other — UN - Unknown — WI - Wrought Iron <all other values> Inactive - all material types **Main Lines Styles** In Design Main (Proposed) **Distribution Main** Distribution - Joint Trench ---- Subtransmission Main ---- Transmission Exposed Pipe (Coated Steel) ⊢ Pipe Lining (CI or WI) AbandonedGasPipe **Other Symbols** Drip Flow Arrow Foreign Utility Pipe Public Improvement Pressure Monitoring Device Leak Report - Leak Repair **Automated Repairs** LowPoint Summit

### **Scaled Areas**



10, 30, 50 SCALE