From:	Daniel Miller
To:	Keith Mccrary
Cc:	Dale Echols
Subject:	FW: GLWA GPET 19-071 Fw: X1054
Date:	Thursday, October 03, 2019 10:03:30 AM
Attachments:	Outlook-uottenpx.png Notice of Proposed Change in Property x1054.pdf x1054.pdf

---

Keith
GLWA records indicate No GLWA sewer or water in the area of Proposed Change in Property request 19-071 Fx: 1054.
Dan Miller

From: Dale Echols <Dale.Echols@glwater.org>
Sent: Wednesday, October 2, 2019 9:47 AM
To: Daniel Miller <daniel.miller@glwater.org>
Cc: Dale Echols <Dale.Echols@glwater.org>
Subject: GLWA GPET 19-071 Fw: X1054

Good morning,
Please respond to customers request.
Let me know when review has been done by emailing me a copy of the review.

Thank you,

Dale Echols, CT CADD
Team Leader for URAP
(URAP) Utility Review and Permits - 1st Floor CSF - Room One
Great Lakes Water Authority • North Administration Building - CSF • 6425 Huber Street • Detroit, MI 48211-1677
P: 313.267-4857
E: *Dale.Echols@glwater.org*
General Information: 844.455.GLWA(4592)

From: Keith Mccrary <mccraryk@detroitmi.gov>
Sent: Wednesday, October 2, 2019 9:34 AM
To: (ah1865@att.com) <ah1865@att.com>; Carolyn Harper <carhar@detroitmi.gov>; Keith Hewlett <hewlettk@detroitmi.gov>; DTE <SE_ENGINEERING@dteenergy.com>; Eddie Reyes - GAS (det_mappingteam@dteenergy.com) <det_mappingteam@dteenergy.com>; Dale Echols <Dale.Echols@glwater.org>; Gilbert Lee <Gilbert.Lee@detroitmi.gov>; Helen-Marie Sharpley <hsharpley@detroitmi.gov>; Leslie Walker <walkerl@detroitmi.gov>; Pamela Lemme <lemmep@detroitmi.gov>; PATROL OPERATIONS BUREAU <PATROLOPSBUREAU@detroitmi.gov>; PLA <mpatel@pladetroit.org>; Andrew Crawford <andrewc@detroitmi.gov>; Robert Seaney (c/o

John Rieberger) - Comcast Cablevision (rseaney@teamsigma.com) <rseaney@teamsigma.com>;
Sunny Jacob <sunjac@detroitmi.gov>
Subject: X1054

Please respond.