



**LEGEND:**

	SUBJECT PROPERTY
	APPROXIMATE FORMER/HISTORICAL SITE FEATURES
	ELECTRIC
	OVERHEAD ELECTRIC LINE
	WATER
	GAS
	SANITARY SEWER
	ABANDONED SANITARY SERVICE LINE
	COMBINATION SANITARY / STORM SEWER
	COMMUNICATION LINE
	FORMER PRODUCT LINE
	INTERCEPTOR TRENCH CONCRETE CAP
	MANHOLE
	DUMPSTER CORAL
	PVC DRAIN CLEANOUT
	UTILITY POLE
	MONITORING WELL
	MONITORING WELL / SOIL GAS
	VENTILATOR TURBINE (VT)

**NOTE:**  
 THE VENT STACK/WIND TURBINES SHALL BE LOCATED 1.0 FEET ABOVE THE ROOF PARAPET AND A MINIMUM OF TWENTY (20) FEET AWAY FROM ANY OPENING INTO THE STRUCTURE INCLUDING ROOF HATCH, AIR INTAKE, RTU INTAKE VENTS ETC. OR AT LEAST THREE (3) FEET ABOVE THE HIGHEST POINT OF THE OPENING OR VENT.

1. REFERENCES: AERIAL PHOTOGRAPH FROM GOOGLE EARTH, IMAGERY DATE 5/9/2010



**SHEET VIM 3**  
 BUILDING ROOF PLAN SHOWING VAPOR INTERCEPTOR TRENCH AND PASSIVE SSV SYSTEM LAYOUT

**PROJECT:** HARRINGTON APARTMENTS  
 461-465 WEST GRAND BOULEVARD  
 DETROIT, MI

THIS IS NOT A LEGAL SURVEY	DRAWN BY: KS/CS	DATE: 6/2/2023
VERIFY SCALE	CHECKED BY: JP	DATE REVISED: 4/2/2024
0 10'	FILE NAME: 01-13782-1-001F00R02	

IF NOT 1" ON THIS SHEET, ADJUST SCALES ACCORDINGLY.