


Symbol	Label	Image	QTY	Catalog Number	Description	Lamp	Number Lamps per Lamp	LFP	Wattage	Polar Plot	
□	A		0	DSXO LED P1 27X 60	Series Size 0 Area Luminaire P1 Performance Package 2700K CCT 90 CR Automotive Front Row House Side Shield Forward External Glare Shield		1	3074	0.9	33.21	
□	B		1	DSXO LED P1 27X 60	Series Size 0 Area Luminaire P1 Performance Package 2700K CCT 90 CR Automotive Front Row House Side Shield Forward External Glare Shield		1	3074	0.85	66.42	

Statistics							
Description	Symbol	Avg	Max	Min	Max/Min	Avg/Min	
Calc Zone #1	+	1.3 fc	6.9 fc	0.1 fc	59.0:1	19.0:1	
Calc Zone #2	+	0.1 fc	0.6 fc	0.0 fc	N/A	N/A	

Luminaire Locations												
		Location			Orientation		Tilt			Aim		
No.	Label	X	Y	Z	Min	Max	X	Y	Z	X	Y	Z
1	A	312.87	377.53	15.00	178.07	0.00	312.71	376.39	0.00			
2	A	385.93	342.77	15.00	15.00	0.00	384.79	342.77	0.00			
3	A	385.80	301.30	15.00	15.00	0.00	384.65	301.30	0.00			
4	A	385.80	259.99	15.00	15.00	0.00	384.65	259.99	0.00			
5	A	385.90	222.83	15.00	15.00	0.00	384.65	222.83	0.00			
6	A	328.89	331.02	15.00	15.00	0.00	326.89	329.88	0.00			
7	A	328.74	337.73	15.00	15.00	0.00	326.74	335.87	0.00			
8	A	327.01	212.08	15.00	15.00	0.00	327.01	212.22	0.00			
9	A	327.01	201.79	15.00	15.00	0.00	327.01	200.64	0.00			
1	B	326.96	276.55	15.00	15.00	0.00			0.00			



PHOTOMETRIC SITE PLAN
SCALE: 1"=30.00'



Atelier Architect, P.C.
6346 Orchard Lake Rd Suite 16
West Bloomfield, MI 48322-2327
Phone: 248-885-8286
Fax: 248-885-8287
e-mail: Info@atelierarchitect.com

Project

DURGA TEMPLE PARKING LOT

Project No.

2024-24

Certification

I hereby certify that the construction documents contained herein were prepared under my direct supervision and I am a registered architect under the laws of the State of Michigan.



Sheet Title

PHOTOMETRIC SITE PLAN

Issued Date

BUILDING PERMIT 10 / 30 / 2024
REVISION ONE 05 / 20 / 2025