


Exhibit A

FIVE (5.00) FOOT WIDE STORM SEWER ENCROACHMENT (COVER LETTER)

REASON FOR ENCROACHMENT

DUE TO STORM WATER RUNOFF VOLUMES FOR THE LEE PLAZA DEVELOPMENT, A 12 INCH STORM SEWER OUTLET IS REQUIRED. PER DWSD, THE INCOMING (NEW) SEWER MUST BE 50% OR LESS OF THE SIZE OF THE EXISTING SEWER. THE EXISTING SEWER IN THE ALLEY ADJACENT TO LEE PLAZA IS 12 INCH DIAMETER. THEREFORE, IT IS NECESSARY TO EXTEND THE SEWER ACROSS THE ALLEY AND MAKE THE CONNECTION TO THE EXISTING SEWER IN FERRY PARK AVENUE.

REQUEST ENCROACHMENT
(BELOW GRADE DRAINAGE)



NOWAK & FRAUS ENGINEERS
46777 WOODWARD AVE.
PONTIAC, MI 48342-5032
TEL. (248) 332-7931
FAX. (248) 332-8257

PREPARED FOR:
FUSCO, SHAFFER & PAPPAS

SCALE
n/a

DATE
03-23-26

DRAWN
MH

JOB NO.
N018

SHEET
1 of 2

